


Phillips

Insert Bits

■ Phillips Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-200	PH0	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-201	PH1	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-202	PH2	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-203	PH3	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-204	PH4	6.35mm(1/4")	25mm L	100/1000	0.7/8.0



Slotted

■ Slotted Insert Bits (Metric) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-213	3mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-214	4mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-215	4.5mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-216	5mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-217	5.5mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-218	6mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-219	6.5mm	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-220	7mm	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-221	8mm	6.35mm(1/4")	25mm L	100/1000	0.9/10.0
44-222	10mm	6.35mm(1/4")	25mm L	100/1000	1.1/12.0




Hex

■ Hex Insert Bits (SAE) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-231	1/16"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-232	5/64"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-233	3/32"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-234	7/64"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-235	1/8"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-236	9/64"	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-237	5/32"	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-238	3/16"	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-239	7/32"	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-240	1/4"	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-242	5/16"	6.35mm(1/4")	25mm L	100/1000	0.8/9.0
44-243	3/8"	6.35mm(1/4")	25mm L	100/1000	1.4/15.0





Insert Bits


Hex Insert Bits (Metric) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-245	1.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-246	2mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-247	2.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-248	3mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-249	4mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-250	5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-251	5.5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-252	6mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-253	7mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-254	8mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-255	10mm	6.35mm(1/4")	25mm L	100/1000		1.4/15.0




Hex Tamper Proof Insert Bits (SAE) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-271	1/16"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-272	5/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-273	3/32"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-274	7/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-275	1/8"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-276	9/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-277	5/32"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-278	3/16"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-279	7/32"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-280	1/4"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-281	5/16"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-282	3/8"	6.35mm(1/4")	25mm L	100/1000		1.4/15.0



Hex Tamper Proof Insert Bits (Metric) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-285	1.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-286	2mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-287	2.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-288	3mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-289	4mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-290	5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-291	5.5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-292	6mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-293	7mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-294	8mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
44-295	10mm	6.35mm(1/4")	25mm L	100/1000		1.4/15.0



Insert Bits


■ TORX[®] Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-301	T-5	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-302	T-6	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-303	T-7	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-304	T-8	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-305	T-9	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-306	T-10	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-307	T-15	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-308	T-20	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-309	T-25	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-310	T-27	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-311	T-30	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-312	T-35	6.35mm(1/4")	25mm L	100/1000	0.6/7.0
44-313	T-40	6.35mm(1/4")	25mm L	100/1000	0.6/7.0
44-314	T-45	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-315	T-50	6.35mm(1/4")	25mm L	100/1000	0.8/9.0




■ TORX[®] Tamper Proof Insert Bits - 1/4" Hex x 25mm L


Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-321	T-5	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-322	T-6	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-323	T-7	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-324	T-8	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-325	T-9	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-326	T-10	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-327	T-15	6.35mm(1/4")	25mm L	100/1000	0.4/5.0
44-328	T-20	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-329	T-25	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-330	T-27	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-331	T-30	6.35mm(1/4")	25mm L	100/1000	0.5/6.0
44-332	T-35	6.35mm(1/4")	25mm L	100/1000	0.6/7.0
44-333	T-40	6.35mm(1/4")	25mm L	100/1000	0.6/7.0
44-334	T-45	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-335	T-50	6.35mm(1/4")	25mm L	100/1000	0.8/9.0



■ POZIDRIV[®] Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-340	PZ0	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-341	PZ1	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-342	PZ2	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-343	PZ3	6.35mm(1/4")	25mm L	100/1000	0.7/8.0
44-344	PZ4	6.35mm(1/4")	25mm L	100/1000	0.8/9.0






Insert Bits

TORQ-SET[®] Insert Bits - 1/4" Hex x 25mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-351	TS-6	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-352	TS-8	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-353	TS-10	6.35mm(1/4")	25mm L	100/1000		0.8/9.0

Spanner Insert Bits - 1/4" Hex x 25mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-355	SP-4	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-356	SP-6	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-357	SP-8	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-358	SP-10	6.35mm(1/4")	25mm L	100/1000		0.7/8.0

TRI-WING[®] Insert Bits - 1/4" Hex x 25mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-361	TW-1	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-362	TW-2	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-363	TW-3	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-364	TW-4	6.35mm(1/4")	25mm L	100/1000		0.7/8.0

Square Recess Insert Bits - 1/4" Hex x 25mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-370	S0	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-371	S1	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-372	S2	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-373	S3	6.35mm(1/4")	25mm L	100/1000		0.7/8.0

Clutch C Insert Bits (SAE) - 1/4" Hex x 25mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-381	C1(1/8")	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-382	C2(5/32")	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-383	C3(3/16")	6.35mm(1/4")	25mm L	100/1000		0.7/8.0

Spline Insert Bits - 1/4" Hex x 25mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-385	M5	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-386	M6	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
44-387	M8	6.35mm(1/4")	25mm L	100/1000		0.8/9.0



Power Bits

■ Phillips Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-400	PH0	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-401	PH1	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-402	PH2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-403	PH3	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-404	PH4	6.35mm(1/4")	50mm L	100/1000		1.7/18.0

■ Slotted Power Bits (Metric) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-413	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-414	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-415	4.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-416	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-417	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-418	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-419	6.5mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-420	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-421	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-422	10mm	6.35mm(1/4")	50mm L	100/1000		2.3/24.0



■ Hex Power Bits (SAE) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-431	1/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-432	5/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-433	3/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-434	7/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-435	1/8"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-436	9/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-437	5/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-438	3/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-439	7/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-440	1/4"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-441	9/32"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-442	5/16"	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-443	3/8"	6.35mm(1/4")	50mm L	100/1000		2.4/25.0






Power Bits

Hex Power Bits (Metric) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
44-445	1.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-446	2mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-447	2.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-448	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-449	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-450	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-451	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-452	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-453	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-454	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-455	10mm	6.35mm(1/4")	50mm L	100/1000		2.4/25.0



Hex Tamper Proof Power Bits (SAE) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
44-471	1/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-472	5/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-473	3/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-474	7/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-475	1/8"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-476	9/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-477	5/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-478	3/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-479	7/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-480	1/4"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-481	9/32"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-482	5/16"	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-483	3/8"	6.35mm(1/4")	50mm L	100/1000		2.4/25.0



Hex Tamper Proof Power Bits (Metric) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
44-485	1.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-486	2mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-487	2.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-488	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-489	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-490	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-491	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-492	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-493	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-494	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-495	10mm	6.35mm(1/4")	50mm L	100/1000		2.4/25.0



Power Bits

■ TORX® Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-506	T-10	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-507	T-15	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-508	T-20	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-509	T-25	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-510	T-27	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-511	T-30	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-513	T-40	6.35mm(1/4")	50mm L	100/1000	1.6/17.0
44-514	T-45	6.35mm(1/4")	50mm L	100/1000	2.1/22.0
44-515	T-50	6.35mm(1/4")	50mm L	100/1000	2.1/22.0




■ TORX® Tamper Proof Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-526	T-10	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-527	T-15	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-528	T-20	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-529	T-25	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-530	T-27	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-531	T-30	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-533	T-40	6.35mm(1/4")	50mm L	100/1000	1.6/17.0
44-534	T-45	6.35mm(1/4")	50mm L	100/1000	2.1/22.0
44-535	T-50	6.35mm(1/4")	50mm L	100/1000	2.1/22.0





■ POZIDRIV® Power Bits - 1/4" Hex x 50mm L


Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-540	PZ0	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-541	PZ1	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-542	PZ2	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-543	PZ3	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-544	PZ4	6.35mm(1/4")	50mm L	100/1000	1.7/18.0



■ Square Recess Power Bits - 1/4" Hex x 50mm L


Item No.	Pt. Size	Shank Dia.	Overall Length		 kgs
44-570	S0	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-571	S1	6.35mm(1/4")	50mm L	100/1000	1.4/15.0
44-572	S2	6.35mm(1/4")	50mm L	100/1000	1.5/16.0
44-573	S3	6.35mm(1/4")	50mm L	100/1000	1.6/17.0






Power Bits

Round Shank Phillips Power Bits - 1/4" Hex x 50mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-600	PH0	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-601	PH1	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-602	PH2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-603	PH3	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-604	PH4	6.35mm(1/4")	50mm L	100/1000		1.7/18.0

Round Shank Slotted Power Bits (Metric) - 1/4" Hex x 50mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-613	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-614	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-615	4.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-616	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-617	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-618	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-619	6.5mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-620	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-621	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-622	10mm	6.35mm(1/4")	50mm L	100/1000		2.3/24.0

Round Shank Hex Power Bits (SAE) - 1/4" Hex x 50mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-631	1/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-632	5/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-633	3/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-634	7/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-635	1/8"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-636	9/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-637	5/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-638	3/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-639	7/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-640	1/4"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-641	9/32"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-642	5/16"	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-643	3/8"	6.35mm(1/4")	50mm L	100/1000		2.4/25.0

Round Shank Hex Power Bits (Metric) - 1/4" Hex x 50mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-645	1.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-646	2mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-647	2.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-648	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-649	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-650	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-651	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-652	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-653	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-654	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-655	10mm	6.35mm(1/4")	50mm L	100/1000		2.4/25.0

Power Bits

■ Round Shank TORX® Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-706	T-10	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-707	T-15	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-708	T-20	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-709	T-25	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-710	T-27	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-711	T-30	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-713	T-40	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-714	T-45	6.35mm(1/4")	50mm L	100/800		2.4/21.0
44-715	T-50	6.35mm(1/4")	50mm L	100/800		2.4/21.0



■ Round Shank TORX® Tamper Proof Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-726	T-10	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-727	T-15	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-728	T-20	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-729	T-25	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-730	T-27	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-731	T-30	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-733	T-40	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
44-734	T-45	6.35mm(1/4")	50mm L	100/800		2.4/21.0
44-735	T-50	6.35mm(1/4")	50mm L	100/800		2.4/21.0






■ Round Shank POZIDRIV® Power Bits - 1/4" Hex x 50mm L


Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-740	PZ0	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-741	PZ1	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
44-742	PZ2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-743	PZ3	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-744	PZ4	6.35mm(1/4")	50mm L	100/1000		1.7/18.0



■ Round Shank Square Recess Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
44-770	S0	6.35mm(1/4")	50mm L	100/1000		1.4/15.5
44-771	S1	6.35mm(1/4")	50mm L	100/1000		1.4/15.5
44-772	S2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
44-773	S3	6.35mm(1/4")	50mm L	100/1000		1.6/17.0






Power Bits


Phillips Double End Bits- 1/4" Hex

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
48-649	PH1	6.35mm(1/4")	45mm L	100/1500	0.9/14.5	
48-650	PH2	6.35mm(1/4")	45mm L	100/1500	0.9/14.5	
48-648	PH1	6.35mm(1/4")	65mm L	100/1500	1.5/16.0	
48-651	PH2	6.35mm(1/4")	65mm L	100/1000	1.5/16.0	
48-652	PH3	6.35mm(1/4")	65mm L	100/1000	1.5/16.0	
48-659	PH2	6.35mm(1/4")	110mm L	100/500	2.7/14.5	
48-653	PH3	6.35mm(1/4")	110mm L	100/500	2.7/14.5	
48-660	PH2	6.35mm(1/4")	150mm L	100/500	3.7/19.0	
48-655	PH3	6.35mm(1/4")	150mm L	100/500	3.7/19.0	
48-661	PH2	6.35mm(1/4")	200mm L	100/300	5.0/16.5	
48-654	PH3	6.35mm(1/4")	200mm L	100/300	5.0/16.5	
48-656	PH2	6.35mm(1/4")	250mm L	100/300	7.0/20.5	
48-657	PH3	6.35mm(1/4")	250mm L	100/300	7.0/20.5	
48-662	PH2	6.35mm(1/4")	300mm L	100/200	8.0/16.5	
48-665	PH3	6.35mm(1/4")	300mm L	100/200	8.0/16.5	




Phillips Impact Driver Bits - 5/16" Hex x 36mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
48-361	PH1	8mm(5/16")	36mm L	100/1000	1.5/16.0	
48-362	PH2	8mm(5/16")	36mm L	100/1000	1.5/16.0	
48-363	PH3	8mm(5/16")	36mm L	100/1000	1.5/16.0	
48-364	PH4	8mm(5/16")	36mm L	100/1000	1.5/16.0	




Slotted Impact Driver Bits - 5/16" Hex x 36mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
48-368	8mm	8mm(5/16")	36mm L	100/1000	1.4/14.5	
48-370	10mm	8mm(5/16")	36mm L	100/1000	2.0/20.0	
48-371	12mm	8mm(5/16")	36mm L	100/1000	3.0/14.5	




Phillips Impact Driver Bits - 5/16" Hex x 80mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
48-801	PH1	8mm(5/16")	80mm L	100/500	3.5/18.0	
48-802	PH2	8mm(5/16")	80mm L	100/500	3.5/18.0	
48-803	PH3	8mm(5/16")	80mm L	100/500	3.5/18.0	
48-804	PH4	8mm(5/16")	80mm L	100/500	3.5/18.0	



Slotted Impact Driver Bits - 5/16" Hex x 80mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
48-808	8mm	8mm(5/16")	80mm L	100/500	3.5/18.0	
48-810	10mm	8mm(5/16")	80mm L	100/500	4.5/23.0	



Fastener Drive Tool Sets

■ Air Impact Driver Bit Set - 40 Pcs.



Item No.		 kgs
48-040	1/10	1.8/19.0

- 1 Pc. Quick Release Bit Holder: 1/2" Dr. x 3/8"(10mm) Hex.
- 20 Pcs. Insert Bits: 3/8"(10mm) Hex x 30mm L
 - Hex: 4, 5, 6, 7, 8, 10,12 mm.
 - Spline: M5, M6, M8, M10, M12.
 - ⊕ TORX[®] Tamper Proof: T20, T25, T30, T40, T45, T50, T55, T60.
- 19 Pcs. Insert Bits: 3/8"(10mm) Hex x 75mm L
 - Hex: 4, 5, 6, 7, 8, 10,12 mm.
 - Spline: M5, M6, M8, M10, M12.
 - ⊕ TORX[®] Tamper Proof: T20, T25, T30, T40, T45, T50, T55.

■ 1/4" Drive Socket & Bit Set - 61 Pcs.



Item No.		 kgs
87-012	1/12	1.2/15.0

- 1 Pc. Flexible Ratchet Screwdriver. **Magnetic Bit Holder.
- 1 Pc. Ball-Lock Socket Adapter: 1/4"Hex x 25mm L.
- 1 Pc. Knurled Shank Magnetic Bit Holder: 1/4" Hex x 63mm L.
- 1 Pc. 3" Extension.
- 12 Pcs. Sockets (Metric Size, 6-Point):
4, 4.5, ,5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm.
- 10 Pcs. Sockets (SAE Size, 6-Point):
5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2".
- 35 Pcs. Insert Bits: 1/4"Hex x 25mm L
 - ⊖ Slotted: 3, 4, 5, 6, 7 mm.
 - ⊕ Phillips: PH0, PH1, PH2, PH3.
 - ◆ ⊕ Phillips: PH2 **DIAMOND TIP[®]**
 - ⊕ POZIDRIV[®] : PZ0, PZ1, PZ2, PZ3.
 - ◆ ⊕ POZIDRIV[®] : PZ2 **DIAMOND TIP[®]**
 - Hex: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm.
 - ⊕ TORX[®] Tamper Proof: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40.

▲ Blow Mold Box



Fastener Drive Tool Sets

■ Screwdriver Bit Set - 100 Pcs.

Item No.		 kgs
99-061	1/20	0.8/16.0



- 1 Pc. Magnetic Bit Holder: 1/4" Hex x 60mm L.
- 2 Pcs. 1/4" Dr. Ball-Lock Socket Adapter:
1/4" Hex x 25mm L & 1/4" Hex x 50mm L.
- 1 Pc. Quick Release Bit Holder: 1/4" Dr. x 1/4" Hex.
- 1 Pc. "Y" Type Spanner.
- 95 Pcs. Insert Bits: 1/4" Hex x 25mm L
 - ⊕ Phillips: PH0, PH1, PH2 (5 pcs.), PH3.
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2 (5 pcs.), PZ3.
 - ⊖ Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm.
 - ⊕ TORX® : T8, T10, T15, T20, T25, T27, T30, T40, T45.
 - ⊕ TORX® Tamper Proof: T8, T10, T15, T20, T25, T27, T30, T35, T40.
 - Hex: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm.
 - Hex: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4".
 - ⊕ Hex Tamper Proof: 2, 2.5, 3, 4, 5, 6 mm.
 - ⊕ Hex Tamper Proof: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32".
 - ⊕ Spanner: SP4, SP6, SP8, SP10.
 - ⊕ TRI-WING® : TW1, TW2, TW3, TW4.
 - ⊕ TORQ-SET® : TS6, TS8, TS10.
 - Square Recess: S0, S1, S2, S3.
 - Spline: M5, M6, M8.
 - ⊖ Clutch C: C1, C2, C3.

▲ Blow Mold Box

