

# DIAMOND TIP



- P190** Screwdrivers
- P202** Fastener Drive Tools
- P205** Hex Key Wrenches
- P208** Aviation Snips








10X LONGER LIFE



Phillips



Slotted




Hex



Insert Bits

**DIAMOND TIP<sup>®</sup>**



\*\* Microscope shows well-dispersed microcrystalline diamond in array all over the tip surface.

**Diamond Tip is always there**



\*\* Powerful gripping force derived from our crystalline diamond grit that are constantly extruding & exposed.

■ **Phillips Insert Bits - 1/4" Hex x 25mm L**

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-200	PH0	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-201	PH1	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-202	PH2	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-203	PH3	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-204	PH4	6.35mm(1/4")	25mm L	100/1000		0.7/8.0

■ **Slotted Insert Bits (Metric) - 1/4" Hex x 25mm L**

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-213	3mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-214	4mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-215	4.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-216	5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-217	5.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-218	6mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-219	6.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-220	7mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-221	8mm	6.35mm(1/4")	25mm L	100/1000		0.9/10.0
42-222	10mm	6.35mm(1/4")	25mm L	100/1000		1.1/12.0

■ **Hex Insert Bits (SAE) - 1/4" Hex x 25mm L**

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-231	1/16"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-232	5/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-233	3/32"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-234	7/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-235	1/8"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-236	9/64"	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-237	5/32"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-238	3/16"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-239	7/32"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-240	1/4"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-242	5/16"	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-243	3/8"	6.35mm(1/4")	25mm L	100/1000		1.4/15.0




Insert Bits

**DIAMOND TIP®**

■ Hex Insert Bits (Metric) - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-245	1.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-246	2mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-247	2.5mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-248	3mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-249	4mm	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-250	5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-251	5.5mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-252	6mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-253	7mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-254	8mm	6.35mm(1/4")	25mm L	100/1000		0.8/9.0
42-255	10mm	6.35mm(1/4")	25mm L	100/1000		1.4/15.0




■ TORX® Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-301	T-5	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-302	T-6	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-303	T-7	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-304	T-8	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-305	T-9	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-306	T-10	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-307	T-15	6.35mm(1/4")	25mm L	100/1000		0.4/5.0
42-308	T-20	6.35mm(1/4")	25mm L	100/1000		0.5/6.0
42-309	T-25	6.35mm(1/4")	25mm L	100/1000		0.5/6.0
42-310	T-27	6.35mm(1/4")	25mm L	100/1000		0.5/6.0
42-311	T-30	6.35mm(1/4")	25mm L	100/1000		0.5/6.0
42-312	T-35	6.35mm(1/4")	25mm L	100/1000		0.6/7.0
42-313	T-40	6.35mm(1/4")	25mm L	100/1000		0.6/7.0
42-314	T-45	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-315	T-50	6.35mm(1/4")	25mm L	100/1000		0.8/9.0




■ POZIDRIV® Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-340	PZ0	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-341	PZ1	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-342	PZ2	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-343	PZ3	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-344	PZ4	6.35mm(1/4")	25mm L	100/1000		0.8/9.0



■ Square Recess Insert Bits - 1/4" Hex x 25mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-370	S0	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-371	S1	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-372	S2	6.35mm(1/4")	25mm L	100/1000		0.7/8.0
42-373	S3	6.35mm(1/4")	25mm L	100/1000		0.7/8.0





Power Bits



Phillips



■ Phillips Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-400	PH0	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-401	PH1	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-402	PH2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-403	PH3	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
42-404	PH4	6.35mm(1/4")	50mm L	100/1000		1.7/18.0

Slotted



■ Slotted Power Bits (Metric) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-413	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-414	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-415	4.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-416	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-417	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-418	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-419	6.5mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-420	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-421	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
42-422	10mm	6.35mm(1/4")	50mm L	100/1000		2.3/24.0

Hex



■ Hex Power Bits (SAE) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-431	1/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-432	5/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-433	3/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-434	7/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-435	1/8"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-436	9/64"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-437	5/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-438	3/16"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-439	7/32"	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-440	1/4"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-441	9/32"	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-442	5/16"	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
42-443	3/8"	6.35mm(1/4")	50mm L	100/1000		2.4/25.0





Power Bits

**DIAMOND TIP®**

■ Hex Power Bits (Metric) - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-445	1.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-446	2mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-447	2.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-448	3mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-449	4mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-450	5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-451	5.5mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-452	6mm	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-453	7mm	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-454	8mm	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
42-455	10mm	6.35mm(1/4")	50mm L	100/1000		2.4/25.0



■ TORX® Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-506	T-10	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-507	T-15	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-508	T-20	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-509	T-25	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-510	T-27	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-511	T-30	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-513	T-40	6.35mm(1/4")	50mm L	100/1000		1.6/17.0
42-514	T-45	6.35mm(1/4")	50mm L	100/1000		2.1/22.0
42-515	T-50	6.35mm(1/4")	50mm L	100/1000		2.1/22.0




■ POZIDRIV® Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-540	PZ0	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-541	PZ1	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-542	PZ2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-543	PZ3	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-544	PZ4	6.35mm(1/4")	50mm L	100/1000		1.7/18.0



■ Square Recess Power Bits - 1/4" Hex x 50mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-570	S0	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-571	S1	6.35mm(1/4")	50mm L	100/1000		1.4/15.0
42-572	S2	6.35mm(1/4")	50mm L	100/1000		1.5/16.0
42-573	S3	6.35mm(1/4")	50mm L	100/1000		1.6/17.0





■ Phillips Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-780	PH0	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-781	PH1	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-782	PH2	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-783	PH3	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-784	PH4	6.35mm(1/4")	75mm L	100/1000		1.8/18.5



■ Slotted Power Bits (Metric) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-785	3mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-786	4mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-787	4.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-788	5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-789	5.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-790	6mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-791	6.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-792	7mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-793	8mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-794	10mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0



■ Hex Power Bits (SAE) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-801	1/16"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-802	5/64"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-803	3/32"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-804	7/64"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-805	1/8"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-806	9/64"	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-807	5/32"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-808	3/16"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-809	7/32"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-810	1/4"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-811	9/32"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-812	5/16"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-813	3/8"	6.35mm(1/4")	75mm L	100/1000		1.9/19.0





Power Bits

**DIAMOND TIP®**

■ Hex Power Bits (Metric) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-820	1.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-821	2mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-822	2.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-823	3mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-824	4mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-825	5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-826	5.5mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-827	6mm	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-828	7mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-829	8mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0
42-830	10mm	6.35mm(1/4")	75mm L	100/1000		1.9/19.0



■ TORX® Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-871	T-10	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-872	T-15	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-873	T-20	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-874	T-25	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-875	T-27	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-876	T-30	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-877	T-40	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-878	T-45	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-879	T-50	6.35mm(1/4")	75mm L	100/1000		1.9/19.0




■ POZIDRIV® Power Bits - 1/4" Hex x 75mm L


Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-890	PZ0	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-891	PZ1	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-892	PZ2	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-893	PZ3	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-894	PZ4	6.35mm(1/4")	75mm L	100/1000		1.8/18.5




■ Square Recess Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-896	S0	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-897	S1	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-898	S2	6.35mm(1/4")	75mm L	100/1000		1.8/18.5
42-899	S3	6.35mm(1/4")	75mm L	100/1000		1.8/18.5






Phillips



Slotted



Hex

Power Bits



■ Round Shank Phillips Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
43-101	PH0	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-102	PH1	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-103	PH2	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-104	PH3	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-105	PH4	6.35mm(1/4")	75mm L	100/1000		1.6/16.5

■ Round Shank Slotted Power Bits (Metric) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
43-110	3mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-111	4mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-112	4.5mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-113	5mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-114	5.5mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-115	6mm	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-116	6.5mm	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-117	7mm	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-118	8mm	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-119	10mm	6.35mm(1/4")	75mm L	100/1000		1.7/17.5

■ Round Shank Hex Power Bits (SAE) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kg
43-120	1/16"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-121	5/64"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-122	3/32"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-123	7/64"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-124	1/8"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-125	9/64"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-126	5/32"	6.35mm(1/4")	75mm L	100/1000		1.6/16.5
43-127	3/16"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-128	7/32"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-129	1/4"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-130	9/32"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-131	5/16"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5
43-132	3/8"	6.35mm(1/4")	75mm L	100/1000		1.7/17.5






Power Bits

**DIAMOND TIP®**


■ Round Shank Hex Power Bits (Metric) - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length	 	 kgs
43-140	1.5mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-141	2mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-142	2.5mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-143	3mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-144	4mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-145	5mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-146	5.5mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-147	6mm	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-148	7mm	6.35mm(1/4")	75mm L	100/1000	1.7/17.5
43-149	8mm	6.35mm(1/4")	75mm L	100/1000	1.7/17.5
43-150	10mm	6.35mm(1/4")	75mm L	100/1000	1.7/17.5



■ Round Shank TORX® Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length	 	 kgs
43-151	T-10	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-152	T-15	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-153	T-20	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-154	T-25	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-155	T-27	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-156	T-30	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-157	T-40	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-158	T-45	6.35mm(1/4")	75mm L	100/800	1.6/16.5
43-159	T-50	6.35mm(1/4")	75mm L	100/800	1.7/17.5




■ Round Shank POZIDRIV® Power Bits - 1/4" Hex x 75mm L


Item No.	Pt. Size	Shank Dia.	Overall Length	 	 kgs
43-170	PZ0	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-171	PZ1	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-172	PZ2	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-173	PZ3	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-174	PZ4	6.35mm(1/4")	75mm L	100/1000	1.6/16.5




■ Round Shank Square Recess Power Bits - 1/4" Hex x 75mm L

Item No.	Pt. Size	Shank Dia.	Overall Length	 	 kgs
43-180	S0	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-181	S1	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-182	S2	6.35mm(1/4")	75mm L	100/1000	1.6/16.5
43-183	S3	6.35mm(1/4")	75mm L	100/1000	1.6/16.5






Phillips



Slotted



Hex

Power Bits



■ Round Shank Phillips Power Bits - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-201	PH0	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-202	PH1	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-203	PH2	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-204	PH3	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-205	PH4	6.35mm(1/4")	100mm L	100/1000		2.2/22.0

■ Round Shank Slotted Power Bits (Metric) - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-210	3mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-211	4mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-212	4.5mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-213	5mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-214	5.5mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-215	6mm	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-216	6.5mm	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-217	7mm	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-218	8mm	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-219	10mm	6.35mm(1/4")	100mm L	100/1000		2.3/23.0

■ Round Shank Hex Power Bits (SAE) - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-220	1/16"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-221	5/64"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-222	3/32"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-223	7/64"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-224	1/8"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-225	9/64"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-226	5/32"	6.35mm(1/4")	100mm L	100/1000		2.2/22.0
43-227	3/16"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-228	7/32"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-229	1/4"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-230	9/32"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-231	5/16"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0
43-232	3/8"	6.35mm(1/4")	100mm L	100/1000		2.3/23.0






Power Bits

**DIAMOND TIP®**

■ Round Shank Hex Power Bits (Metric) - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-240	1.5mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-241	2mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-242	2.5mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-243	3mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-244	4mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-245	5mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-246	5.5mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-247	6mm	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-248	7mm	6.35mm(1/4")	100mm L	100/1000	2.3/23.0	
43-249	8mm	6.35mm(1/4")	100mm L	100/1000	2.3/23.0	
43-250	10mm	6.35mm(1/4")	100mm L	100/1000	2.3/23.0	



■ Round Shank TORX® Power Bits - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-251	T-10	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-252	T-15	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-253	T-20	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-254	T-25	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-255	T-27	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-256	T-30	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-257	T-40	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-258	T-45	6.35mm(1/4")	100mm L	100/800	2.2/22.0	
43-259	T-50	6.35mm(1/4")	100mm L	100/800	2.3/23.0	




■ Round Shank POZIDRIV® Power Bits - 1/4" Hex x 100mm L





Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-270	PZ0	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-271	PZ1	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-272	PZ2	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-273	PZ3	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-274	PZ4	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	



■ Round Shank Square Recess Power Bits - 1/4" Hex x 100mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-280	S0	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-281	S1	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-282	S2	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	
43-283	S3	6.35mm(1/4")	100mm L	100/1000	2.2/22.0	





Power Bits



Round Shank Phillips Power Bits - 1/4" Hex x 150mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-301	PH0	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-302	PH1	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-303	PH2	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-304	PH3	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-305	PH4	6.35mm(1/4")	150mm L	100/600		3.3/19.8

Round Shank Slotted Power Bits (Metric) - 1/4" Hex x 150mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-310	3mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-311	4mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-312	4.5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-313	5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-314	5.5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-315	6mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-316	6.5mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-317	7mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-318	8mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-319	10mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4

Round Shank Hex Power Bits (SAE) - 1/4" Hex x 150mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-320	1/16"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-321	5/64"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-322	3/32"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-323	7/64"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-324	1/8"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-325	9/64"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-326	5/32"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-327	3/16"	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-328	7/32"	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-329	1/4"	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-330	9/32"	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-331	5/16"	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-332	3/8"	6.35mm(1/4")	150mm L	100/600		3.4/20.4

Round Shank Hex Power Bits (Metric) - 1/4" Hex x 150mm L

Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-340	1.5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-341	2mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-342	2.5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-343	3mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-344	4mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-345	5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-346	5.5mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-347	6mm	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-348	7mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-349	8mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4
43-350	10mm	6.35mm(1/4")	150mm L	100/600		3.4/20.4





Power Bits



■ Round Shank TORX® Power Bits - 1/4" Hex x 150mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-351	T-10	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-352	T-15	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-353	T-20	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-354	T-25	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-355	T-27	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-356	T-30	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-357	T-40	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-358	T-45	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-359	T-50	6.35mm(1/4")	150mm L	100/600		3.4/20.4

■ Round Shank POZIDRIV® Power Bits - 1/4" Hex x 150mm L




Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-370	PZ0	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-371	PZ1	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-372	PZ2	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-373	PZ3	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-374	PZ4	6.35mm(1/4")	150mm L	100/600		3.3/19.8

■ Round Shank Square Recess Power Bits - 1/4" Hex x 150mm L



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
43-380	S0	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-381	S1	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-382	S2	6.35mm(1/4")	150mm L	100/600		3.3/19.8
43-383	S3	6.35mm(1/4")	150mm L	100/600		3.3/19.8

■ Phillips Double End Bits- 1/4" Hex



Item No.	Pt. Size	Shank Dia.	Overall Length			kgs
42-910	PH2	6.35mm(1/4")	65mm L	100/600		1.6/16.0
42-911	PH3	6.35mm(1/4")	65mm L	100/600		1.6/16.0
42-916	PH2	6.35mm(1/4")	90mm L	100/600		2.2/22.0
42-917	PH3	6.35mm(1/4")	90mm L	100/600		2.2/22.0
42-920	PH2	6.35mm(1/4")	120mm L	100/600		2.9/17.4
42-921	PH3	6.35mm(1/4")	120mm L	100/600		2.9/17.4
42-926	PH2	6.35mm(1/4")	150mm L	100/600		3.7/22.3
42-927	PH3	6.35mm(1/4")	150mm L	100/600		3.7/22.3