




# HEX KEY WRENCHES



- P96** Hex Key Wrench
- P98** Ball - Speed Hex Key Wrench
- P99** TORX® Tamper Hex Key Wrench
- P99** T - Handle Hex Key Wrench
- P100** Hex Key Wrenches Set



## Hex Key Wrenches

### Hex Key Wrenches - Standard Length (Metric)

Item No.	Size	L1	L2		kgs
66-104	1.5	14	45	200/2,000	0.2/3.0
66-105	2.0	16	50	200/2,000	0.4/5.0
66-106	2.5	18	56	200/1,500	0.5/5.26
66-107	3.0	20	63	100/1,000	0.48/5.06
66-108	4.0	25	70	50/500	0.55/5.76
66-110	5.0	28	80	50/500	0.75/7.86
66-112	6.0	32	90	25/300	0.8/9.96
66-114	8.0	36	100	20/200	1.2/13.0
66-116	10.0	40	112	12/120	1.31/13.46
66-117	12.0	45	125	10/100	1.65/16.86
66-118	14.0	56	140	8/80	1.67/17.07
66-119	17.0	65	160	4/24	1.9/11.4
66-120	19.0	70	180	4/24	2.59/15.54

### Hex Key Wrenches - Long Length (Metric)

Item No.	Size	L1	L2		kgs
66-204	1.5	14	77	200/2,000	0.35/3.76
66-205	2.0	16	83	200/2,000	0.55/5.86
66-206	2.5	18	90	200/2,000	0.87/9.07
66-207	3.0	20	98	100/1,000	0.85/8.76
66-208	4.0	25	106	50/500	0.75/7.76
66-210	5.0	28	118	50/500	1.17/12.07
66-212	6.0	32	137	25/250	1.2/12.36
66-214	8.0	36	156	20/100	1.71/17.47
66-216	10.0	40	170	12/72	1.77/10.62
66-217	12.0	45	207	10/60	2.6/16.27
66-218	14.0	56	230	10/60	3.96/24.43
66-219	17.0	65	250	4/32	2.66/21.75
66-220	19.0	70	280	4/24	3.6/22.18

### Hex Key Wrenches - Extra Long Length (Metric)



Item No.	Size	L1	L2		kgs
66-301	1.5	14	90	200/2,000	0.35/3.76
66-302	2.0	16	100	200/2,000	0.67/7.07
66-303	2.5	18	112	200/2,000	1.17/12.02
66-304	3.0	20	126	100/1,000	0.92/9.57
66-305	4.0	25	140	50/500	0.94/9.82
66-306	5.0	28	160	50/500	1.62/16.57
66-308	6.0	32	180	25/250	1.37/14.07
66-310	8.0	36	200	20/200	2.09/21.35
66-311	10.0	40	224	12/120	2.3/23.63
66-312	12.0	45	250	10/80	3.01/24.65
66-313	14.0	56	280	5/40	2.37/19.46
66-314	17.0	63	320	4/24	3.2/19.2
66-315	19.0	70	360	4/16	4.43/17.72







## Hex Key Wrenches

### Hex Key Wrenches - Standard Length (SAE)




Item No.	Size	L1	L2		 kgs
66-131	1/16	14	45	200/2,000	0.25/2.76
66-132	5/64	16	50	200/2,000	0.45/4.76
66-133	3/32	18	56	200/2,000	0.65/6.76
66-135	1/8	20	63	100/1,000	0.55/5.76
66-137	5/32	25	70	50/500	0.55/5.76
66-138	3/16	28	80	50/500	0.95/9.86
66-140	1/4	32	90	25/300	0.85/10.56
66-141	5/16	36	100	20/200	1.25/12.86
66-142	3/8	40	108	12/120	1.65/16.82



### Hex Key Wrenches - Long Length (SAE)

Item No.	Size	L1	L2		 kgs
66-231	1/16	14	77	200/2,000	0.35/3.76
66-232	5/64	16	82	200/2,000	0.55/5.86
66-233	3/32	18	88	200/2,000	0.87/9.07
66-235	1/8	20	96	100/1,000	0.85/8.76
66-237	5/32	25	105	50/500	0.75/7.76
66-238	3/16	28	114	50/500	1.17/12.07
66-240	1/4	32	135	25/150	1.2/7.2
66-241	5/16	36	156	20/120	1.71/10.26
66-242	3/8	40	170	12/72	1.77/10.62

### Hex Key Wrenches - Extra Long Length (SAE)



Item No.	Size	L1	L2		 kgs
66-331	1/16	14	90	200/2,000	0.35/3.76
66-332	5/64	16	100	200/2,000	0.67/7.07
66-333	3/32	18	112	200/2,000	1.17/12.07
66-334	1/8	20	126	100/1,000	0.92/9.57
66-335	5/32	25	140	50/500	0.94/9.82
66-336	3/16	28	160	50/500	1.62/16.57
66-338	1/4	32	180	25/250	1.37/14.07
66-339	5/16	36	200	20/200	2.09/21.35
66-340	3/8	40	224	12/72	2.3/14.44
66-341	7/16	42	235	10/40	2.45/10.47
66-342	1/2	45	250	10/40	3.01/12.62
66-343	9/16	56	280	5/40	2.42/19.79
66-344	5/8	63	320	5/30	3.97/24.27
66-345	3/4	70	360	4/16	4.45/17.8







## Hex Key Wrenches


### ■ Ball-Speed® Hex Key Wrenches - Long Length (Metric)

Item No.	Size	L1	L2		 kgs
66-404	1.5	14	77	200/2,000	0.35/3.76
66-405	2.0	16	83	200/2,000	0.55/5.86
66-406	2.5	18	90	200/2,000	0.97/10.07
66-407	3.0	20	98	100/1,000	0.75/7.76
66-408	4.0	25	106	50/500	0.72/7.51
66-410	5.0	28	118	50/500	1.27/13.07
66-412	6.0	32	137	25/250	1.06/10.99
66-414	8.0	36	156	20/200	1.71/17.47
66-416	10.0	40	170	12/120	1.77/18.11



### ■ Ball-Speed® Hex Key Wrenches - Long Length (SAE)

Item No.	Size	L1	L2		 kgs
66-431	1/16	14	77	200/2,000	0.35/3.76
66-432	5/64	16	82	200/2,000	0.55/5.86
66-433	3/32	18	88	200/2,000	0.97/10.07
66-435	1/8	20	96	100/1,000	0.75/7.76
66-437	5/32	25	105	50/500	0.72/7.51
66-438	3/16	28	114	50/500	1.27/13.07
66-440	1/4	32	135	25/250	1.06/10.99
66-441	5/16	36	156	20/200	1.71/17.47
66-442	3/8	40	170	20/200	1.77/18.11

### ■ Ball-Speed® Hex Key Wrenches - Extra Long Length (Metric)




Item No.	Size	L1	L2		 kgs
66-501	1.5	14	90	200/2,000	0.35/3.76
66-502	2.0	16	100	200/2,000	0.67/7.07
66-503	2.5	18	112	200/2,000	1.17/12.07
66-504	3.0	20	126	100/1,000	0.92/9.57
66-505	4.0	25	140	50/500	0.92/9.57
66-506	5.0	28	160	50/500	1.67/17.07
66-508	6.0	32	180	25/250	1.37/14.07
66-510	8.0	36	200	20/200	2.09/21.35
66-511	10.0	40	224	12/72	2.3/14.44


### ■ Ball-Speed® Hex Key Wrenches - Extra Long Length (SAE)

Item No.	Size	L1	L2		 kgs
66-531	1/16	14	90	200/2,000	0.35/3.76
66-532	5/64	16	100	200/2,000	0.67/7.07
66-533	3/32	18	112	200/2,000	1.17/12.07
66-534	1/8	20	126	100/1,000	0.92/9.57
66-535	5/32	25	140	50/500	0.92/9.57
66-536	3/16	28	160	50/500	1.67/17.07
66-538	1/4	32	180	25/250	1.37/14.07
66-539	5/16	36	200	20/200	2.09/21.35
66-540	3/8	40	224	12/72	2.3/14.44




## Hex Key Wrenches

### TORX® Tamper Proof Key Wrenches - Long Length

Item No.	Size	L1	L2	 	 kgs
66-601	T10	14	77	200/2,000	1.1/10.8
66-602	T15	16	83	200/2,000	1.2/13.0
66-603	T20	18	90	200/2,000	2.3/23.1
66-604	T25	20	98	100/1,000	1.3/13.5
66-605	T27	25	106	50/500	1.1/11.5
66-606	T30	28	118	50/500	1.3/13.6
66-607	T40	32	137	25/250	1.1/11.6
66-608	T45	36	156	20/200	1.7/17.5
66-609	T50	40	170	12/120	1.8/17.9



### TORX® Tamper Proof Key Wrenches - Extra Long Length

Item No.	Size	L1	L2	 	 kgs
66-631	T10	14	90	200/2,000	1.3/13.0
66-632	T15	16	100	200/2,000	1.5/15.1
66-633	T20	18	112	200/2,000	2.7/27.0
66-634	T25	20	126	100/1,000	1.6/16.0
66-635	T27	25	140	50/500	1.4/15.0
66-636	T30	28	160	50/500	1.6/16.6
66-637	T40	32	180	25/250	1.3/14.0
66-638	T45	36	200	20/200	2.0/21.0
66-639	T50	40	224	12/120	2.3/23.6

### "T" Handle Hex Key Wrenches (Metric)

Item No.	Size	 	 kgs
66-900	2mm x 110mm	6/120	0.25/3
66-901	2.5mm x 110mm	6/120	0.25/5
66-902	3mm x 110mm	6/120	0.25/5
66-903	4mm x 110mm	6/120	0.25/5
66-904	5mm x 160mm	6/60	0.8/8
66-905	6mm x 160mm	6/60	0.8/8
66-906	7mm x 160mm	6/60	0.8/8
66-907	8mm x 200mm	6/60	1.8/8
66-908	10mm x 215mm	6/48	2/16.5
66-909	12mm x 215mm	6/48	2/16.5

### "T" Handle TORX® + TORX® Tamper Proof Key Wrenches

Item No.	Size	 	 kgs
66-910	T-8 x 110mm	6/120	0.25/5
66-911	T-9 x 110mm	6/120	0.25/5
66-912	T-10 x 110mm	6/120	0.25/5
66-913	T-15 x 110mm	6/120	0.25/5
66-914	T-20 x 110mm	6/120	0.25/5
66-915	T-25 x 160mm	6/60	0.8/8
66-916	T-27 x 160mm	6/60	0.8/8
66-917	T-30 x 160mm	6/60	0.8/8
66-918	T-40 x 185mm	6/60	1.8/18
66-919	T-45 x 215mm	6/48	1.8/15.4
66-920	T-50 x 215mm	6/48	1.8/15.4
66-921	T-55 x 215mm	6/48	1.8/15.4





**Hex Key Wrenches**



**Ball-Speed® Hex Key Wrench Set - Extra Long Length (Metric) - 9 Pcs.**

Item No.		kgs
66-099	6/36	3.1/26.0
⊕ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm		



**Ball-Speed® Hex Key Wrench Set - Extra Long Length (SAE) - 9 Pcs.**

Item No.		kgs
66-199	6/36	3.1/26.0
⊕ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"		




**Ball-Speed® Hex Key Wrench Set 3-Way Duplex Grip Holder - Extra Long Length (Metric) - 9 Pcs.**

Item No.		kgs
66-399	6/24	3.3/21.0
⊕ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm		



**Ball-Speed® Hex Key Wrench Set 3-Way Duplex Grip Holder - Extra Long Length (SAE) - 9 Pcs.**

Item No.		kgs
66-499	6/24	3.3/21.0
⊕ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"		



**TORX® Tamper Proof Key Wrench Set - Long Length - 9 Pcs.**

Item No.		kgs
66-095	6/36	2.5/20.5
⊕ T10, T15, T20, T25, T27, T30, T40, T45, T50		



**TORX® Tamper Proof Key Wrench Set - Extra Long Length - 9 Pcs.**


Item No.		kgs
66-096	6/36	3.1/26.0
⊕ T10, T15, T20, T25, T27, T30, T40, T45, T50		



**"T" Handle TORX® Tamper Proof Key Wrench Set - 7 Pcs.**

Item No.		kgs
66-899	1/6	1.7/11.0
⊕ T20, T25, T30, T40, T45, T50, T55		





## Hex Key Wrenches



### Hex Key Wrench Set - Standard Length (Metric) - 9 Pcs.

Item No.		 kgs
66-091	6/36	1.9/16.0


○ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



### Hex Key Wrench Set - Standard Length (SAE) - 9 Pcs.

Item No.		 kgs
66-191	6/36	1.9/16.0

○ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



### Hex Key Wrench Set - Long Length (Metric) - 9 Pcs.

Item No.		 kgs
66-092	6/36	2.5/20.5

○ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



### Hex Key Wrench Set - Long Length (SAE) - 9 Pcs.

Item No.		 kgs
66-192	6/36	2.5/20.5

○ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



### Hex Key Wrench Set - Extra Long Length (Metric) - 9 Pcs.

Item No.		 kgs
66-093	6/36	3.1/26.0


○ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



### Hex Key Wrench Set - Extra Long Length (SAE) - 9 Pcs.

Item No.		 kgs
66-193	6/36	3.1/26.0

○ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



### Ball-Speed® Hex Key Wrench Set - Long Length (Metric) - 9 Pcs.

Item No.		 kgs
66-098	6/36	2.5/20.5

⊗ 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



### Ball-Speed® Hex Key Wrench Set - Long Length (SAE) - 9 Pcs.

Item No.		 kgs
66-198	6/36	2.5/20.5

⊗ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"