


3/8" Impact Socket

■ **3/8" Drive Impact Sockets (Metric)**

Item No.	Size (A)	Length		 kgs
73-106	6 mm	30 mm	10/200	0.4/7.5
73-107	7 mm	30 mm	10/200	0.4/7.5
73-108	8 mm	30 mm	10/200	0.4/7.5
73-109	9 mm	30 mm	10/200	0.4/7.5
73-110	10 mm	30 mm	10/200	0.4/7.7
73-111	11 mm	30 mm	10/200	0.4/8.1
73-112	12 mm	30 mm	10/200	0.4/8.1
73-113	13 mm	30 mm	10/200	0.5/10.3
73-114	14 mm	30 mm	10/200	0.5/10.3
73-115	15 mm	30 mm	10/200	0.5/11.1
73-116	16 mm	30 mm	10/200	0.6/11.9
73-117	17 mm	30 mm	10/200	0.6/12.6
73-118	18 mm	30 mm	10/200	0.7/14.2
73-119	19 mm	30 mm	10/200	0.8/15.8
73-120	20 mm	30 mm	10/200	0.8/15.8
73-121	21 mm	30 mm	10/200	0.8/15.8
73-122	22 mm	30 mm	10/200	0.9/18.4



■ **3/8" Drive Impact Sockets (SAE)**

Item No.	Size (A)	Length		 kgs
73-205	5/16"	30 mm	10/200	0.4/7.5
73-206	3/8"	30 mm	10/200	0.4/7.7
73-207	7/16"	30 mm	10/200	0.4/8.1
73-208	1/2"	30 mm	10/200	0.5/10.3
73-209	9/16"	30 mm	10/200	0.5/10.3
73-210	5/8"	30 mm	10/200	0.6/11.9
73-211	11/16"	30 mm	10/200	0.6/12.6
73-212	3/4"	30 mm	10/200	0.8/15.8
73-213	13/16"	30 mm	10/200	0.8/15.8
73-214	7/8"	30 mm	10/200	0.9/18.8





3/8" Impact Socket

3/8" Drive Deep Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
73-306	6 mm	65 mm	15/300	1.2/23.6
73-307	7 mm	65 mm	15/300	1.2/23.6
73-308	8 mm	65 mm	15/300	1.2/23.6
73-309	9 mm	65 mm	15/300	1.2/23.6
73-310	10 mm	65 mm	15/300	1.2/23.6
73-311	11 mm	65 mm	15/300	1.2/23.6
73-312	12 mm	65 mm	15/300	1.2/25.1
73-313	13 mm	65 mm	12/192	1.3/21.3
73-314	14 mm	65 mm	12/192	1.3/21.3
73-315	15 mm	65 mm	12/192	1.4/22.3
73-316	16 mm	65 mm	12/192	1.6/25.2
73-317	17 mm	65 mm	12/96	1.6/13.0
73-318	18 mm	65 mm	12/96	1.7/13.9
73-319	19 mm	65 mm	12/96	2.1/16.8
73-320	20 mm	65 mm	12/96	2.7/22.1
73-321	21 mm	65 mm	12/96	2.8/23.0
73-322	22 mm	65 mm	12/96	3.0/24.0





3/8" Drive Deep Impact Sockets (SAE)

Item No.	Size (A)	Length		 kgs
73-405	5/16"	65 mm	15/300	1.2/23.6
73-406	3/8"	65 mm	15/300	1.2/23.6
73-407	7/16"	65 mm	15/300	1.2/23.6
73-408	1/2"	65 mm	12/192	1.3/21.3
73-409	9/16"	65 mm	12/192	1.3/21.3
73-410	5/8"	65 mm	12/192	1.6/25.2
73-411	11/16"	65 mm	12/96	1.6/13.0
73-412	3/4"	65 mm	12/96	2.1/16.8
73-413	13/16"	65 mm	12/96	2.8/23.0
73-414	7/8"	65 mm	12/96	3.0/24.0




3/8" Drive Hex Head Impact Sockets (Metric)


Item No.	Size	Length		 kgs
73-604	4 mm	60 mm	10/200	0.5/11.1
73-605	5 mm	60 mm	10/200	0.5/11.1
73-606	6 mm	60 mm	10/200	0.7/14.1
73-607	7 mm	60 mm	10/200	0.8/16.1
73-608	8 mm	60 mm	10/200	0.8/17.1
73-609	9 mm	60 mm	10/200	0.9/18.1
73-610	10 mm	60 mm	10/200	0.9/19.1
73-611	11 mm	60 mm	10/200	0.9/19.1
73-612	12 mm	60 mm	10/200	1.0/20.1
73-613	13 mm	60 mm	10/200	1.0/21.1
73-614	14 mm	60 mm	10/200	1.1/23.1
73-615	15 mm	60 mm	10/200	1.2/24.1
73-616	16 mm	60 mm	10/200	1.2/25.1
73-617	17 mm	60 mm	10/200	1.3/26.8



3/8" Impact Socket


3/8" Drive Hex Head Impact Sockets (SAE)

Item No.	Size	Length		 kgs
73-625	5/32"	60 mm	10/200	0.5/11.1
73-626	3/16"	60 mm	10/200	0.5/11.1
73-627	7/32"	60 mm	10/200	0.6/11.5
73-628	1/4"	60 mm	10/200	0.7/15.1
73-629	5/16"	60 mm	10/200	0.8/17.1
73-630	3/8"	60 mm	10/200	0.9/19.1
73-631	7/16"	60 mm	10/200	0.9/19.1
73-632	1/2"	60 mm	10/200	1.0/21.1
73-633	9/16"	60 mm	10/200	1.2/24.1
73-634	5/8"	60 mm	10/200	1.2/25.1





3/8" Drive TORX® Impact Sockets

Item No.	Size	Length		 kgs
73-640	T10	52 mm	10/200	0.5/11.1
73-641	T15	52 mm	10/200	0.5/11.1
73-642	T20	52 mm	10/200	0.7/14.1
73-643	T25	52 mm	10/200	0.8/16.1
73-644	T27	52 mm	10/200	0.8/16.1
73-645	T30	52 mm	10/200	0.9/18.1
73-646	T40	52 mm	10/200	0.9/19.1
74-647	T45	52 mm	10/200	0.9/19.1
74-648	T50	52 mm	10/200	1.0/20.1
74-649	T55	52 mm	10/200	1.0/20.1
74-650	T60	52 mm	10/200	1.1/23.1





3/8" Socket Drive Impact Adapters

Item No.	Size		 kgs
73-004	3/8"F x 1/4"M	10/60	0.3/2.1
73-005	3/8"F x 1/2"M	10/100	0.7/7.4



3/8" Drive Impact Extensions

Item No.	Size (L)		 kgs
73-703	3"	20/200	1.8/18.7
73-704	6"	15/150	2.4/24.2





3/8" Drive Impact Universal Joint

Item No.	Size		 kgs
73-906	51 mm	20/200	2.2/22.2



1/2" Impact Socket


1/2" Drive Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
74-108	8 mm	38 mm	10/300	0.7/22.9
74-109	9 mm	38 mm	10/300	0.7/22.9
74-110	10 mm	38 mm	10/300	0.7/22.9
74-111	11 mm	38 mm	10/300	0.7/22.9
74-112	12 mm	38 mm	10/300	0.7/22.9
74-113	13 mm	38 mm	10/300	0.8/24.4
74-114	14 mm	38 mm	10/300	0.8/25.9
74-115	15 mm	38 mm	10/200	1.2/23.8
74-116	16 mm	38 mm	10/200	1.2/23.8
74-117	17 mm	40 mm	10/200	1.3/25.5
74-118	18 mm	40 mm	10/200	1.3/25.5
74-119	19 mm	40 mm	10/200	1.3/25.5
74-120	20 mm	40 mm	10/200	1.3/25.5
74-121	21 mm	40 mm	10/200	1.3/25.5
74-122	22 mm	40 mm	10/160	1.3/21.8
74-123	23 mm	42 mm	10/160	1.3/22.0
74-124	24 mm	42 mm	10/160	1.4/23.2
74-125	25 mm	42 mm	10/160	1.5/24.0
74-126	26 mm	42 mm	10/160	1.5/24.0
74-127	27 mm	42 mm	10/80	1.9/15.6
74-128	28 mm	45 mm	10/80	2.1/17.2
74-129	29 mm	45 mm	10/80	2.1/17.2
74-130	30 mm	46 mm	10/80	2.2/18.0
74-132	32 mm	46 mm	6/36	1.4/8.5





1/2" Drive Impact Sockets (SAE)

Item No.	Size (A)	Length		 kgs
74-205	5/16"	38 mm	10/300	0.7/22.9
74-206	3/8"	38 mm	10/300	0.7/22.9
74-207	7/16"	38 mm	10/300	0.7/22.9
74-208	1/2"	38 mm	10/200	0.8/16.5
74-209	9/16"	38 mm	10/200	0.9/17.5
74-210	5/8"	38 mm	10/200	1.2/24.5
74-211	11/16"	40 mm	10/200	1.2/25.5
74-212	3/4"	40 mm	10/200	1.3/25.5
74-213	13/16"	40 mm	10/200	1.3/25.5
74-214	7/8"	40 mm	10/160	1.4/22.1
74-215	15/16"	42 mm	10/160	1.4/23.2
74-216	1"	42 mm	10/160	1.5/24.0
74-217	1-1/16"	42 mm	10/80	1.9/15.6
74-218	1-1/8"	45 mm	10/80	2.1/17.2
74-219	1-3/16"	46 mm	10/80	2.2/18.0
74-220	1-1/4"	46 mm	6/36	1.4/8.9



1/2" Impact Socket

1/2" Drive Deep Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
74-308	8 mm	78 mm	12/96	2.0/16.1
74-309	9 mm	78 mm	12/96	2.0/16.1
74-310	10 mm	78 mm	12/96	2.0/16.1
74-311	11 mm	78 mm	12/96	2.0/16.1
74-312	12 mm	78 mm	12/96	2.0/16.1
74-313	13 mm	78 mm	12/96	2.2/18.0
74-314	14 mm	78 mm	12/96	2.2/18.0
74-315	15 mm	78 mm	12/96	2.6/20.9
74-316	16 mm	78 mm	12/96	2.6/20.9
74-317	17 mm	78 mm	12/96	2.7/22.1
74-318	18 mm	78 mm	12/96	2.7/22.1
74-319	19 mm	78 mm	12/96	2.7/22.1
74-320	20 mm	78 mm	12/96	2.7/22.1
74-321	21 mm	78 mm	12/96	2.7/22.1
74-322	22 mm	78 mm	10/80	2.4/19.4
74-323	23 mm	78 mm	6/48	1.5/12.0
74-324	24 mm	78 mm	6/48	1.9/15.8
74-325	25 mm	78 mm	6/48	2.1/17.3
74-326	26 mm	78 mm	6/48	2.1/17.3
74-327	27 mm	78 mm	6/48	2.5/20.6
74-328	28 mm	78 mm	6/48	2.5/20.6
74-329	29 mm	78 mm	6/48	2.5/20.6
74-330	30 mm	78 mm	6/48	2.5/20.6
74-332	32 mm	78 mm	5/40	2.2/18.2



1/2" Drive Deep Impact Sockets (SAE)

Item No.	Size (A)	Length		 kgs
74-405	5/16"	78 mm	12/96	2.0/16.1
74-406	3/8"	78 mm	12/96	2.0/16.1
74-407	7/16"	78 mm	12/96	2.0/16.1
74-408	1/2"	78 mm	12/96	2.2/18.0
74-409	9/16"	78 mm	12/96	2.2/18.0
74-410	5/8"	78 mm	12/96	2.2/18.0
74-411	11/16"	78 mm	12/96	2.7/22.1
74-412	3/4"	78 mm	12/96	3.1/25.0
74-413	13/16"	78 mm	10/80	3.0/24.2
74-414	7/8"	78 mm	10/80	3.3/26.6
74-415	15/16"	78 mm	6/48	2.0/16.3
74-416	1"	78 mm	6/48	2.1/17.3
74-417	1-1/16"	78 mm	6/48	2.5/20.6
74-418	1-1/8"	78 mm	6/48	2.5/20.6
74-419	1-3/16"	78 mm	6/48	2.5/20.6
74-420	1-1/4"	78 mm	5/40	2.2/18.2




1/2" Impact Socket

1/2" Drive Thin-Deep Impact Sockets (Metric)




Item No.	Size (A)	Length		kgs
74-510	10 mm	78 mm	12/96	1.9/15.1
74-511	11 mm	78 mm	12/96	1.9/15.1
74-512	12 mm	78 mm	12/96	1.9/15.1
74-513	13 mm	78 mm	12/96	2.1/17.0
74-514	14 mm	78 mm	12/96	2.1/17.0
74-515	15 mm	78 mm	12/96	2.5/19.9
74-517	17 mm	78 mm	12/96	2.6/21.1
74-519	19 mm	78 mm	12/96	2.6/21.1
74-521	21 mm	78 mm	12/96	2.6/21.1
74-522	22 mm	78 mm	12/96	2.7/22.1
74-523	23 mm	78 mm	6/48	1.4/11.5
74-524	24 mm	78 mm	6/48	1.9/15.4

1/2" Drive Hex Head Impact Sockets (Metric)




Item No.	Size	Length		kgs
74-604	4 mm	77 mm	10/200	0.9/18.4
74-605	5 mm	77 mm	10/200	0.9/19.4
74-606	6 mm	77 mm	10/200	1.0/19.8
74-607	7 mm	77 mm	10/200	1.0/20.4
74-608	8 mm	77 mm	10/200	1.1/21.8
74-609	9 mm	77 mm	10/200	1.1/22.4
74-610	10 mm	77 mm	10/200	1.3/27.4
74-611	11 mm	77 mm	10/200	1.4/28.0
74-612	12 mm	77 mm	10/200	1.4/28.6
74-613	13 mm	77 mm	10/200	1.4/28.6
74-614	14 mm	77 mm	10/200	1.4/28.6
74-615	15 mm	77 mm	10/200	1.4/29.0
74-616	16 mm	77 mm	10/200	1.4/29.0
74-617	17 mm	77 mm	10/100	1.5/14.9
74-618	18 mm	77 mm	10/100	1.7/16.9
74-619	19 mm	77 mm	10/100	2.2/21.9
74-620	20 mm	77 mm	10/100	2.3/22.9
74-621	21 mm	77 mm	10/100	2.4/23.9

1/2" Drive TORX® Impact Sockets




Item No.	Size	Length		kgs
74-081	T10	60 mm	10/200	1.0/19.8
74-082	T15	60 mm	10/200	1.0/19.8
74-083	T20	60 mm	10/200	1.0/19.8
74-084	T25	60 mm	10/200	1.0/19.8
74-085	T30	60 mm	10/200	1.0/19.8
74-087	T40	60 mm	10/200	1.0/19.8
74-088	T45	60 mm	10/200	1.1/21.8
74-089	T50	60 mm	10/200	1.1/21.8
74-090	T55	60 mm	10/100	1.2/12.5
74-091	T60	60 mm	10/100	1.2/13.5





1/2" Impact Socket

■ **1/2" Drive Hex Head Impact Sockets (SAE)**

Item No.	Size	Length		 kgs
74-625	5/32"	77 mm	10/200	0.9/19.4
74-626	3/16"	77 mm	10/200	0.9/19.4
74-627	7/32"	77 mm	10/200	0.9/19.4
74-628	1/4"	77 mm	10/200	1.0/19.8
74-629	5/16"	77 mm	10/200	1.1/21.8
74-630	3/8"	77 mm	10/200	1.3/26.4
74-631	7/16"	77 mm	10/200	1.4/28.0
74-632	1/2"	77 mm	10/200	1.4/28.0
74-633	9/16"	77 mm	10/200	1.4/28.6
74-634	5/8"	77 mm	10/200	1.4/29.0
74-635	11/16"	77 mm	10/100	1.5/15.4
74-636	3/4"	77 mm	10/100	2.2/21.9
74-637	13/16"	77 mm	10/100	2.3/22.9



■ **1/2" Socket Drive Impact Adapters**

Item No.	Size		 kgs
73-006	1/2"F x 3/8"M	10/60	0.8/8.6
73-007	1/2"F x 3/4"M	20/120	3.4/20.7



■ **1/2" Drive Impact Extensions**

Item No.	Size (L)		 kgs
73-705	3"	10/100	2.3/23.7
73-706	5"	10/50	4.4/22.2
73-707	10"	10/60	4.6/27.9



■ **1/2" Drive Impact Universal Joint**

Item No.	Size		 kgs
73-907	63 mm	20/100	1.8/18.4



1/2" Impact Socket Set

■ **1/2" Drive Impact Metric Socket Set - 11 Pcs.**

Item No.		 kgs
74-001	1/20	1.1/21.7



- 11 Pcs. Sockets (Metric, 6-Point):
10, 11, 12, 13, 14, 15, 17, 19, 21, 24, 27 mm.


▲ **Blow Mold Box**



3/4" Impact Socket

3/4" Drive Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
76-117	17 mm	50 mm	10/80	2.4/19.6
76-118	18 mm	50 mm	10/80	2.4/19.6
76-119	19 mm	50 mm	10/80	2.4/19.6
76-120	20 mm	50 mm	10/80	2.5/20.4
76-121	21 mm	50 mm	10/80	2.5/20.4
76-122	22 mm	50 mm	10/80	2.6/21.2
76-123	23 mm	50 mm	10/80	2.6/21.2
76-124	24 mm	50 mm	10/80	2.6/21.2
76-125	25 mm	50 mm	10/80	2.8/22.8
76-126	26 mm	50 mm	10/80	2.8/22.8
76-127	27 mm	50 mm	10/80	2.9/23.6
76-128	28 mm	50 mm	10/80	3.3/26.8
76-129	29 mm	53 mm	10/80	3.3/26.8
76-130	30 mm	53 mm	6/48	2.3/18.9
76-131	31 mm	53 mm	6/48	2.4/19.4
76-132	32 mm	53 mm	6/48	2.4/19.4
76-133	33 mm	55 mm	6/36	2.6/15.7
76-134	34 mm	55 mm	6/36	2.6/15.7
76-135	35 mm	55 mm	6/36	2.9/17.9
76-136	36 mm	55 mm	6/36	2.9/17.9
76-137	37 mm	57 mm	6/36	2.9/17.9
76-138	38 mm	57 mm	6/36	2.9/17.9
76-139	39 mm	57 mm	6/36	3.0/18.2
76-140	40 mm	57 mm	1/30	0.5/16.5
76-141	41 mm	57 mm	1/30	0.6/18.0
76-142	42 mm	57 mm	1/22	0.7/14.8
76-143	43 mm	62 mm	1/22	0.7/15.7
76-144	44 mm	62 mm	1/22	0.7/16.1
76-145	45 mm	62 mm	1/22	0.7/16.6
76-146	46 mm	62 mm	1/20	0.8/15.7
76-147	47 mm	62 mm	1/18	0.7/13.3
76-148	48 mm	62 mm	1/18	0.8/15.2
76-149	49 mm	62 mm	1/15	0.8/12.7
76-150	50 mm	62 mm	1/15	1.0/14.8
76-151	51 mm	62 mm	1/15	1.1/16.2
76-152	52 mm	62 mm	1/15	1.2/17.5
76-154	54 mm	62 mm	1/15	1.3/19.0
76-155	55 mm	62 mm	1/12	1.3/15.3
76-156	56 mm	62 mm	1/12	1.4/16.8
76-157	57 mm	62 mm	1/10	1.5/14.8
76-160	60 mm	65 mm	1/8	1.6/13.1
76-163	63 mm	65 mm	1/6	1.6/10.0
76-165	65 mm	65 mm	1/6	1.7/10.2
76-170	70 mm	70 mm	1/5	1.9/9.9



3/4" Impact Socket



3/4" Drive Impact Sockets (SAE)

Item No.	Size (A)	Length	 	 kgs
76-211	11/16"	51 mm	10/80	2.4/19.6
76-212	3/4"	51 mm	10/80	2.4/19.6
76-213	13/16"	51 mm	10/80	2.5/20.4
76-214	7/8"	51 mm	10/80	2.6/21.2
76-215	15/16"	51 mm	10/80	2.6/21.2
76-216	1"	53 mm	10/80	2.7/22.0
76-217	1-1/16"	53 mm	10/80	2.9/23.6
76-218	1-1/8"	53 mm	6/48	2.1/17.0
76-219	1-3/16"	53 mm	6/48	2.3/18.9
76-220	1-1/4"	57 mm	6/48	2.3/18.9
76-221	1-5/16"	57 mm	6/36	2.6/15.7
76-222	1-3/8"	57 mm	6/36	2.7/16.8
76-223	1-7/16"	57 mm	6/36	2.8/17.1
76-224	1-1/2"	57 mm	6/36	2.9/17.5
76-225	1-9/16"	58 mm	1/30	0.6/17.1
76-226	1-5/8"	58 mm	1/30	0.6/18.0
76-227	1-11/16"	62 mm	1/22	0.7/15.7
76-228	1-3/4"	62 mm	1/22	0.8/16.8
76-229	1-13/16"	62 mm	1/20	0.8/15.7
76-230	1-7/8"	68 mm	1/18	0.8/14.5
76-231	1-15/16"	68 mm	1/15	0.8/12.1
76-232	2"	68 mm	1/15	0.9/13.5
76-233	2-1/16"	71 mm	1/15	0.9/14.1
76-234	2-1/8"	71 mm	1/15	1.3/19.0
76-235	2-3/16"	71 mm	1/12	1.3/15.3
76-236	2-1/4"	73 mm	1/10	1.5/14.8
76-237	2-5/16"	73 mm	1/8	1.5/12.3
76-238	2-3/8"	73 mm	1/8	1.6/12.7
76-239	2-1/2"	75 mm	1/6	1.6/10.0
76-240	2-9/16"	80 mm	1/6	1.7/10.6
76-241	2-5/8"	80 mm	1/5	1.8/9.4
76-242	2-3/4"	85 mm	1/5	1.9/9.9



3/4" Impact Socket


3/4" Drive Deep Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
76-317	17 mm	90 mm	6/48	2.4/19.9
76-318	18 mm	90 mm	6/48	2.4/19.9
76-319	19 mm	90 mm	6/48	2.4/19.9
76-320	20 mm	90 mm	6/48	2.4/19.9
76-321	21 mm	90 mm	6/48	2.5/20.4
76-322	22 mm	90 mm	6/48	2.7/21.8
76-323	23 mm	90 mm	6/48	2.7/21.8
76-324	24 mm	90 mm	6/48	2.7/22.3
76-325	25 mm	90 mm	6/48	2.9/23.3
76-326	26 mm	90 mm	5/40	2.4/19.6
76-327	27 mm	90 mm	5/40	2.6/21.2
76-328	28 mm	90 mm	5/40	2.8/23.2
76-329	29 mm	90 mm	5/40	2.9/23.6
76-330	30 mm	90 mm	5/40	3.2/26.0
76-332	32 mm	90 mm	5/40	3.2/26.4
76-333	33 mm	90 mm	4/32	2.8/22.6
76-334	34 mm	90 mm	4/32	2.8/22.6
76-335	35 mm	90 mm	4/32	3.2/25.8
76-336	36 mm	90 mm	4/32	3.1/25.2
76-337	37 mm	90 mm	4/24	3.3/20.1
76-338	38 mm	90 mm	4/24	3.4/20.9
76-340	40 mm	90 mm	4/24	3.6/22.1
76-341	41 mm	90 mm	4/24	3.6/22.1
76-342	42 mm	90 mm	3/18	3.2/19.8
76-343	43 mm	90 mm	3/18	3.2/19.8
76-344	44 mm	90 mm	3/18	3.4/20.6
76-345	45 mm	90 mm	3/18	3.4/20.6
76-346	46 mm	90 mm	3/18	3.5/21.6
76-349	49 mm	90 mm	3/18	3.8/22.9
76-350	50 mm	90 mm	3/18	4.1/24.7



3/4" Drive Deep Impact Sockets (SAE)


Item No.	Size (A)	Length		 kgs
76-411	11/16"	90 mm	6/48	2.4/19.9
76-412	3/4"	90 mm	6/48	2.4/19.9
76-413	13/16"	90 mm	6/48	2.5/20.4
76-414	7/8"	90 mm	6/48	2.7/22.3
76-415	15/16"	90 mm	6/48	2.7/22.3
76-416	1"	90 mm	6/48	2.8/22.8
76-417	1-1/16"	90 mm	5/40	2.6/21.6
76-418	1-1/8"	90 mm	5/40	2.9/24.0
76-419	1-3/16"	90 mm	5/40	3.1/25.6
76-420	1-1/4"	90 mm	4/32	2.6/21.3
76-421	1-5/16"	90 mm	4/32	2.7/22.3
76-422	1-3/8"	90 mm	4/32	3.2/25.8
76-423	1-7/16"	90 mm	4/24	3.2/19.4
76-424	1-1/2"	90 mm	4/24	3.4/20.9
76-425	1-9/16"	90 mm	4/24	3.5/21.6
76-426	1-5/8"	90 mm	4/24	3.6/21.8
76-427	1-11/16"	90 mm	3/18	3.2/19.8
76-428	1-3/4"	90 mm	3/18	3.4/20.6
76-429	1-13/16"	90 mm	3/18	3.5/21.6
76-430	1-7/8"	90 mm	3/18	3.7/22.5
76-431	1-15/16"	90 mm	3/18	3.8/23.4
76-432	2"	90 mm	3/18	4.0/24.5



3/4" Impact Socket


3/4" Drive Hex Head Impact Sockets (Metric)

Item No.	Size	Length		 kgs
76-619	19 mm	90 mm	6/36	3.7/22.5
76-620	21 mm	90 mm	6/36	3.8/22.9
76-621	22 mm	90 mm	6/36	3.8/23.3
76-622	24 mm	90 mm	5/30	3.5/21.6
76-623	27 mm	90 mm	5/30	3.7/22.5
76-624	30 mm	90 mm	5/30	4.2/25.8
76-625	32 mm	90 mm	5/30	4.3/26.4




3/4" Drive Hex Head Impact Sockets (SAE)

Item No.	Size	Length		 kgs
76-612	3/4"	90 mm	6/36	3.7/22.5
76-613	13/16"	90 mm	6/36	3.8/22.9
76-614	7/8"	90 mm	6/36	3.8/23.3
76-615	15/16"	90 mm	5/30	3.4/20.7
76-616	1"	90 mm	5/30	3.5/21.3
76-617	1-1/16"	90 mm	5/30	3.7/22.5
76-618	1-1/8"	90 mm	5/30	3.9/23.6
76-629	1-3/16"	90 mm	5/30	4.2/25.8
76-630	1-1/4"	90 mm	5/30	4.3/26.4





3/4" Socket Drive Impact Adapters

Item No.	Size		 kgs
73-008	3/4"F x 1/2"M	8/48	2.7/16.5
73-009	3/4"F x 1"M	5/30	2.3/14.4



3/4" Drive Impact Extensions

Item No.	Size (L)		 kgs
73-709	4"	6/36	3.4/21.0
73-710	6"	6/30	4.7/24.0
73-711	7"	6/24	5.3/21.8
73-712	8"	6/24	5.9/24.2
73-713	10"	3/18	3.5/21.5





3/4" Drive Impact Universal Joint


Item No.	Size		 kgs
73-908	90 mm	4/24	2.3/13.9



1" Impact Socket



■ 1" Drive Impact Sockets (Metric)

Item No.	Size (A)	Length		 kgs
78-117	17 mm	57 mm	6/48	3.0/24.7
78-119	19 mm	57 mm	6/48	3.1/25.2
78-121	21 mm	57 mm	6/48	3.1/25.2
78-122	22 mm	57 mm	6/48	3.2/25.7
78-123	23 mm	57 mm	6/36	3.2/19.3
78-124	24 mm	57 mm	6/36	3.2/19.3
78-125	25 mm	57 mm	6/36	3.2/19.3
78-126	26 mm	57 mm	6/36	3.2/19.7
78-127	27 mm	57 mm	6/36	3.2/19.7
78-128	28 mm	57 mm	6/36	3.3/20.0
78-129	29 mm	62 mm	6/36	3.3/20.0
78-130	30 mm	62 mm	6/36	3.3/20.0
78-131	31 mm	62 mm	6/36	3.5/21.1
78-132	32 mm	62 mm	6/36	3.6/22.2
78-133	33 mm	62 mm	6/36	3.8/23.3
78-134	34 mm	62 mm	6/36	3.9/24.0
78-135	35 mm	62 mm	6/36	4.0/24.3
78-136	36 mm	62 mm	5/30	3.4/21.0
78-137	37 mm	62 mm	5/30	3.4/21.0
78-138	38 mm	66 mm	5/30	3.5/21.3
78-139	39 mm	66 mm	5/30	3.9/24.0
78-140	40 mm	66 mm	5/30	4.4/27.0
78-141	41 mm	66 mm	5/30	4.7/28.5
78-142	42 mm	68 mm	1/24	1.0/23.8
78-143	43 mm	70 mm	1/24	1.0/24.3
78-144	44 mm	70 mm	1/20	1.0/20.3
78-146	46 mm	70 mm	1/15	1.0/15.3
78-147	47 mm	70 mm	1/15	1.0/15.3
78-148	48 mm	70 mm	1/15	1.1/16.0
78-149	49 mm	70 mm	1/15	1.1/16.2
78-150	50 mm	70 mm	1/13	1.1/14.2
78-151	51 mm	76 mm	1/13	1.1/14.2
78-152	52 mm	80 mm	1/13	1.1/14.6
78-154	54 mm	80 mm	1/13	1.3/16.5
78-155	55 mm	84 mm	1/12	1.4/17.6
78-156	56 mm	84 mm	1/12	1.4/17.6
78-157	57 mm	84 mm	1/12	1.6/19.7
78-158	58 mm	84 mm	1/12	1.6/19.7
78-160	60 mm	88 mm	1/12	1.7/21.1
78-162	62 mm	88 mm	1/8	1.8/14.7
78-163	63 mm	88 mm	1/8	1.9/15.5
78-165	65 mm	92 mm	1/8	1.9/15.5
78-167	67 mm	92 mm	1/8	2.1/17.1
78-168	68 mm	96 mm	1/8	2.1/17.3
78-170	70 mm	96 mm	1/6	2.2/13.4
78-173	73 mm	96 mm	1/6	2.8/17.1
78-175	75 mm	102 mm	1/6	3.2/19.5
78-176	76 mm	102 mm	1/6	3.5/21.2
78-180	80 mm	102 mm	1/5	3.7/18.5
78-185	85 mm	106 mm	1/5	4.1/20.8
78-190	90 mm	108 mm	1/4	5.2/21.1
78-195	95 mm	108 mm	1/4	5.3/21.3



1" Impact Socket



1" Drive Impact Sockets (SAE)


Item No.	Size (A)	Length		 kgs
78-211	11/16"	58 mm	6/48	3.0/24.2
78-212	3/4"	58 mm	6/48	3.1/25.2
78-213	13/16"	58 mm	6/48	3.2/25.7
78-214	7/8"	58 mm	6/48	3.2/25.7
78-215	15/16"	58 mm	6/36	3.2/19.3
78-216	1"	60 mm	6/36	3.2/19.7
78-217	1-1/16"	60 mm	6/36	3.2/19.7
78-218	1-1/8"	62 mm	6/36	3.3/20.0
78-219	1-3/16"	62 mm	6/36	3.4/20.7
78-220	1-1/4"	63 mm	6/36	3.8/22.9
78-221	1-5/16"	63 mm	6/36	3.8/23.3
78-222	1-3/8"	66 mm	6/36	3.9/23.6
78-223	1-7/16"	66 mm	5/30	3.3/20.1
78-224	1-1/2"	66 mm	5/30	3.4/21.0
78-225	1-9/16"	66 mm	5/30	4.4/27.0
78-226	1-5/8"	68 mm	5/30	4.7/28.5
78-227	1-11/16"	70 mm	1/24	0.9/22.4
78-228	1-3/4"	70 mm	1/20	1.0/20.3
78-229	1-13/16"	72 mm	1/15	1.0/15.3
78-230	1-7/8"	72 mm	1/15	1.1/16.5
78-231	1-15/16"	76 mm	1/15	1.1/16.5
78-232	2"	76 mm	1/13	1.1/14.6
78-233	2-1/16"	80 mm	1/13	1.2/15.9
78-234	2-1/8"	80 mm	1/13	1.3/16.5
78-235	2-3/16"	84 mm	1/12	1.5/17.7
78-236	2-1/4"	84 mm	1/12	1.5/18.5
78-237	2-5/16"	84 mm	1/12	1.5/18.5
78-238	2-3/8"	88 mm	1/12	1.7/20.9
78-239	2-7/16"	88 mm	1/8	1.9/15.4
78-240	2-1/2"	88 mm	1/8	1.9/15.5
78-241	2-9/16"	92 mm	1/8	1.9/15.5
78-242	2-5/8"	92 mm	1/8	2.0/16.3
78-243	2-11/16"	96 mm	1/8	2.2/17.9
78-244	2-3/4"	96 mm	1/6	2.3/13.8
78-245	2-13/16"	96 mm	1/6	2.4/14.6
78-246	2-7/8"	96 mm	1/6	2.4/14.7
78-247	2-15/16"	100 mm	1/6	3.2/19.4
78-248	3"	100 mm	1/6	3.5/21.0
78-249	3-1/16"	100 mm	1/6	3.5/21.5
78-250	3-1/8"	102 mm	1/5	3.6/18.4
78-251	3-1/4"	104 mm	1/5	3.8/19.3
78-252	3-3/8"	106 mm	1/4	4.1/16.5
78-253	3-1/2"	108 mm	1/4	5.2/21.0
78-254	3-5/8"	110 mm	1/4	5.2/21.1
78-255	3-3/4"	110 mm	1/4	5.3/21.3



1" Impact Socket



1" Drive Deep Impact Sockets (Metric)


Item No.	Size (A)	Length		 kgs
78-319	19 mm	108 mm	1/30	0.7/21.3
78-321	21 mm	108 mm	1/30	0.7/21.6
78-322	22 mm	108 mm	1/30	0.7/21.6
78-323	23 mm	108 mm	1/30	0.7/21.6
78-324	24 mm	108 mm	1/30	0.7/21.9
78-325	25 mm	108 mm	1/30	0.7/21.9
78-326	26 mm	108 mm	1/30	0.8/22.8
78-327	27 mm	108 mm	1/30	0.8/24.3
78-328	28 mm	108 mm	1/28	0.8/22.7
78-329	29 mm	108 mm	1/28	0.8/22.7
78-330	30 mm	108 mm	1/25	0.8/20.3
78-331	31 mm	108 mm	1/25	0.9/21.7
78-332	32 mm	108 mm	1/22	0.9/20.3
78-333	33 mm	108 mm	1/22	0.9/20.3
78-334	34 mm	108 mm	1/20	1.0/19.3
78-335	35 mm	108 mm	1/20	1.0/19.3
78-336	36 mm	108 mm	1/18	1.0/17.4
78-337	37 mm	108 mm	1/18	1.0/17.6
78-338	38 mm	108 mm	1/15	1.0/15.1
78-339	39 mm	108 mm	1/15	1.1/16.2
78-341	41 mm	108 mm	1/15	1.2/18.3
78-342	42 mm	108 mm	1/15	1.2/18.3
78-343	43 mm	108 mm	1/13	1.2/15.9
78-346	46 mm	108 mm	1/13	1.4/18.0
78-347	47 mm	108 mm	1/13	1.4/18.5
78-348	48 mm	108 mm	1/13	1.5/19.1
78-349	49 mm	108 mm	1/13	1.5/19.9
78-350	50 mm	108 mm	1/12	1.6/19.1
78-352	52 mm	108 mm	1/12	1.6/19.5
78-354	54 mm	108 mm	1/12	1.8/21.3
78-355	55 mm	108 mm	1/10	2.0/19.8
78-356	56 mm	108 mm	1/10	2.1/21.0
78-357	57 mm	108 mm	1/10	2.2/22.3
78-358	58 mm	108 mm	1/10	2.3/22.8
78-360	60 mm	108 mm	1/8	2.4/19.1
78-363	63 mm	108 mm	1/6	2.6/15.6
78-365	65 mm	108 mm	1/6	3.0/18.0
78-370	70 mm	108 mm	1/5	3.3/16.8
78-375	75 mm	108 mm	1/4	4.6/18.5
78-380	80 mm	108 mm	1/4	4.9/19.7
78-385	85 mm	135 mm	1/2	5.3/10.8
78-390	90 mm	135 mm	1/2	5.8/11.8




1" Impact Socket

1" Drive Deep Impact Sockets (SAE)


Item No.	Size (A)	Length		 kgs
78-412	3/4"	108 mm	1/30	0.7/21.3
78-413	13/16"	108 mm	1/30	0.7/21.3
78-414	7/8"	108 mm	1/30	0.7/21.6
78-415	15/16"	108 mm	1/30	0.7/21.9
78-416	1"	108 mm	1/30	0.8/23.1
78-417	1-1/16"	108 mm	1/30	0.8/24.3
78-418	1-1/8"	108 mm	1/28	0.8/22.7
78-419	1-3/16"	108 mm	1/25	0.8/20.8
78-420	1-1/4"	108 mm	1/22	0.9/20.3
78-421	1-5/16"	108 mm	1/22	0.9/20.3
78-422	1-3/8"	108 mm	1/20	0.9/18.5
78-423	1-7/16"	108 mm	1/18	1.0/17.4
78-424	1-1/2"	108 mm	1/15	1.0/15.3
78-425	1-9/16"	108 mm	1/15	1.2/18.3
78-426	1-5/8"	108 mm	1/15	1.2/18.3
78-427	1-11/16"	108 mm	1/13	1.2/15.9
78-428	1-3/4"	108 mm	1/13	1.4/17.8
78-429	1-13/16"	108 mm	1/13	1.4/17.8
78-430	1-7/8"	108 mm	1/13	1.5/19.8
78-431	1-15/16"	108 mm	1/13	1.6/20.6
78-432	2"	108 mm	1/12	1.6/19.0
78-433	2-1/16"	108 mm	1/12	1.6/19.5
78-434	2-1/8"	108 mm	1/12	1.8/21.3
78-435	2-3/16"	108 mm	1/10	2.0/20.3
78-436	2-1/4"	108 mm	1/10	2.2/22.3
78-437	2-5/16"	108 mm	1/8	2.3/18.4
78-438	2-3/8"	108 mm	1/8	2.4/19.1
78-440	2-1/2"	120 mm	1/6	2.6/15.8
78-441	2-9/16"	120 mm	1/6	3.0/18.3
78-442	2-5/8"	120 mm	1/6	3.2/19.6
78-443	2-3/4"	125 mm	1/5	3.3/16.7
78-444	2-7/8"	125 mm	1/4	4.6/18.5
78-445	2-15/16"	125 mm	1/4	4.6/18.5
78-446	3"	125 mm	1/4	4.6/18.5
78-447	3-1/16"	125 mm	1/4	4.7/19.1
78-448	3-1/8"	125 mm	1/4	4.9/19.7






1" Impact Socket

1" Drive Hex Head Impact Sockets (Metric)



Item No.	Size	Length		kgs
78-619	19 mm	100 mm	4/24	3.3/20.4
78-620	21 mm	100 mm	4/24	3.4/20.9
78-621	22 mm	100 mm	4/24	3.5/21.1
78-622	24 mm	100 mm	4/24	3.7/22.3
78-623	27 mm	100 mm	4/24	3.8/23.3
78-624	30 mm	100 mm	4/24	4.3/26.1
78-625	32 mm	100 mm	4/20	5.1/26.1

1" Drive Hex Head Impact Sockets (SAE)



Item No.	Size	Length		kgs
78-612	3/4"	100 mm	4/24	3.3/20.4
78-613	13/16"	100 mm	4/24	3.4/20.9
78-614	7/8"	100 mm	4/24	3.6/21.8
78-615	15/16"	100 mm	4/24	3.7/22.3
78-616	1"	100 mm	4/24	3.7/22.8
78-617	1-1/16"	100 mm	4/24	3.8/23.3
78-618	1-1/8"	100 mm	4/24	4.0/24.2
78-629	1-3/16"	100 mm	4/24	4.3/26.1
78-630	1-1/4"	100 mm	4/20	5.1/26.1

1" Socket Drive Impact Adapter



Item No.	Size		kgs
73-010	1"F x 3/4"M	6/36	3.5/21.5

1" Drive Impact Extensions



Item No.	Size		kgs
73-714	4"	3/24	3.0/24.9
73-715	6"	3/18	4.0/24.9
73-716	7"	3/18	4.5/27.9
73-717	8"	3/15	5.0/25.9
73-718	10"	3/12	6.1/25.1
73-719	12"	3/12	7.1/28.9
73-720	13"	3/9	7.5/23.2

1" Drive Impact Universal Joint



Item No.	Size		kgs
73-909	110 mm	3/18	3.2/19.3