




Fastener Drive Tool

■ Magnetic Power Nutsetters Bits (SAE) - 1/4" Hex x 45mm L




Item No.	Hex Drive	Shank Dia.	Overall Length			kgs
48-502	1/4"	6.35mm(1/4")	45mm L	50/500		0.9/9.0
48-504	5/16"	6.35mm(1/4")	45mm L	50/500		1.0/10.0
48-506	3/8"	6.35mm(1/4")	45mm L	50/500		1.2/12.0
48-507	7/16"	6.35mm(1/4")	45mm L	50/500		1.5/12.0
48-509	1/2"	6.35mm(1/4")	45mm L	50/500		1.5/16.0
48-510	9/16"	6.35mm(1/4")	45mm L	50/500		1.5/25.0

■ Magnetic Power Nutsetters Bits (SAE) - 1/4" Hex x 65mm L



Item No.	Hex Drive	Shank Dia.	Overall Length			kgs
48-522	1/4"	6.35mm(1/4")	65mm L	50/500		1.2/13.0
48-524	5/16"	6.35mm(1/4")	65mm L	50/500		1.3/14.0
48-526	3/8"	6.35mm(1/4")	65mm L	50/500		1.7/18.0
48-527	7/16"	6.35mm(1/4")	65mm L	50/500		2.3/21.8
48-529	1/2"	6.35mm(1/4")	65mm L	50/500		2.5/24.0
48-530	9/16"	6.35mm(1/4")	65mm L	50/500		2.8/26.0

■ Magnetic Power Nutsetters Bits (Metric) - 1/4" Hex x 45mm L




Item No.	Hex Drive	Shank Dia.	Overall Length			kgs
48-541	5.5mm	6.35mm(1/4")	45mm L	50/1000		0.9/18.0
48-542	6mm	6.35mm(1/4")	45mm L	50/1000		0.9/19.0
48-543	7mm	6.35mm(1/4")	45mm L	50/1000		0.9/19.0
48-544	8mm	6.35mm(1/4")	45mm L	50/1000		1.0/20.0
48-545	9mm	6.35mm(1/4")	45mm L	50/1000		1.0/22.0
48-546	10mm	6.35mm(1/4")	45mm L	50/1000		1.2/24.0
48-547	11mm	6.35mm(1/4")	45mm L	50/800		1.5/24.0
48-548	12mm	6.35mm(1/4")	45mm L	50/800		1.5/24.0
48-549	13mm	6.35mm(1/4")	45mm L	50/500		1.5/16.0
48-550	14mm	6.35mm(1/4")	45mm L	50/500		2.5/25.0

■ Magnetic Power Nutsetters Bits (Metric) - 1/4" Hex x 65mm L






Item No.	Hex Drive	Shank Dia.	Overall Length			kgs
48-561	5.5mm	6.35mm(1/4")	65mm L	50/1000		1.1/23.0
48-562	6mm	6.35mm(1/4")	65mm L	50/1000		1.1/23.0
48-563	7mm	6.35mm(1/4")	65mm L	50/1000		1.1/23.0
48-564	8mm	6.35mm(1/4")	65mm L	50/800		1.3/21.0
48-565	9mm	6.35mm(1/4")	65mm L	50/600		1.6/20.0
48-566	10mm	6.35mm(1/4")	65mm L	50/600		1.6/20.0
48-567	11mm	6.35mm(1/4")	65mm L	50/500		2.3/23.0
48-568	12mm	6.35mm(1/4")	65mm L	50/500		2.3/23.0
48-569	13mm	6.35mm(1/4")	65mm L	50/500		2.5/25.0
48-570	14mm	6.35mm(1/4")	65mm L	50/400		2.8/22.6






Fastener Drive Tool


■ Ball-Lock Socket Adapters (SAE) - 1/4" Hex

Item No.	Square Drive	Shank Dia.	Overall Length	 	 kgs
48-581	1/4"	6.35mm(1/4")	25mm L	50/2000	0.5/20.0
48-582	1/4"	6.35mm(1/4")	50mm L	50/1000	0.8/17.0
48-583	1/4"	6.35mm(1/4")	65mm L	50/1000	1.0/21.0
48-585	3/8"	6.35mm(1/4")	50mm L	50/500	1.4/15.0
48-586	3/8"	6.35mm(1/4")	65mm L	50/500	1.6/16.8
48-588	1/2"	6.35mm(1/4")	72mm L	25/375	1.0/15.0







■ Magnetic Float Adapters (SAE) - 1/4" Hex

Item No.	Chuck Capacity	Overall Length	 	 kgs
48-912	1/4"	65mm L	25/750	1.0/21.4
48-913	1/4"	75mm L	25/500	1.2/24.0







■ Pull-Lock Adapters (SAE) - 1/4" Hex

Item No.	Chuck Capacity	Overall Length	 	 kgs
48-921	1/4"	60mm L	25/750	0.7/20.0
48-922	1/4"	65mm L	25/750	0.9/21.4
48-923	1/4"	75mm L	25/500	1.1/24.0




■ Push-Lock Adapters (SAE) - 1/4" Hex



Item No.	Chuck Capacity	Overall Length	 	 kgs
48-931	1/4"	60mm L	25/750	0.7/20.0
48-932	1/4"	65mm L	25/750	0.9/21.4
48-933	1/4"	75mm L	25/500	1.1/24.0



Fastener Drive Tool



■ One-Piece Stainless Steel Magnetic Bit Holder (SAE) - 1/4" Hex



Item No.	Bit Drive	Overall Length		 kgs
48-941	1/4"	60mm L	25/750	0.6/21.4
48-942	1/4"	75mm L	25/500	0.8/17.0
48-943	1/4"	100mm L	25/500	1.0/21.0
48-944	1/4"	150mm L	25/300	2.4/24.0



■ One-Piece Stainless Steel Magnetic Bit Holder (w/Ring) - 1/4" Hex




Item No.	Bit Drive	Overall Length		 kgs
48-951	1/4"	60mm L	25/500	0.6/12.0
48-952	1/4"	75mm L	25/300	0.8/11.0



■ Magnetic Screw Guide - 1/4" Hex



Item No.	Bit Drive	Overall Length		 kgs
48-971	1/4"	80mm L	25/500	0.7/14.0
48-972	1/4"	120mm L	25/300	1.1/14.2

■ Magnetic Bit Holder (Stainless Steel Housing) - 1/4" Hex



Item No.	Bit Drive	Overall Length		 kgs
48-961	1/4"	60mm L	25/500	1.2/16.0
48-962	1/4"	75mm L	25/500	0.8/17.0
48-963	1/4"	100mm L	25/500	1.0/21.0
48-964	1/4"	150mm L	25/300	1.3/15.6
48-965	1/4"	175mm L	25/250	1.6/17.0
48-966	1/4"	200mm L	25/250	1.8/19.0

■ Knurled Shank Magnetic Bit Holder (Stainless Steel Housing) - 1/4" Hex



Item No.	Bit Drive	Overall Length		 kgs
48-968	1/4"	63mm L	25/500	1.2/16.0

