

SCREWDRIVERS FASTENER DRIVE TOOLS



P103 Screwdrivers

P119 Fastener Drive Tool

P122 Insert Bits

P126 Power Bits


P132 Fastener Drive Tool Sets

Screwdrivers

Hex Acetate Handle Screwdrivers - Slotted

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-929	3 mm	1/8" x 3"	3 x 75	12/600	0.3/16.0
46-930	3 mm	1/8" x 4"	3 x 100	12/600	0.4/17.5
46-983	4 mm	5/32" x 3"	4 x 75	12/600	0.4/20.0
46-937	4 mm	5/32" x 4"	4 x 100	12/600	0.4/20.3
46-938	4 mm	5/32" x 6"	4 x 150	12/600	0.5/23.8
46-939	4 mm	5/32" x 8"	4 x 200	12/600	0.6/27.4
46-940	4 mm	5/32" x 12"	4 x 300	12/240	0.7/14.2
46-941	5 mm	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-942	5 mm	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-943	5 mm	3/16" x 6"	5 x 150	12/300	1.0/24.3
46-944	5 mm	3/16" x 8"	5 x 200	12/240	1.1/21.4
46-430	5 mm	3/16" x 10"	5 x 250	12/240	1.0/19.3
46-945	5 mm	3/16" x 12"	5 x 300	12/240	1.2/24.3
46-946	6 mm	1/4" x 1-1/2"	6 x 38 (Stubby)	12/300	0.4/11.0
46-947	6 mm	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-948	6 mm	1/4" x 6"	6 x 150	12/120	1.3/13.0
46-949	6 mm	1/4" x 8"	6 x 200	12/120	1.4/13.6
46-950	6 mm	1/4" x 12"	6 x 300	12/120	1.6/15.6
46-431	8 mm	5/16" x 6"	8 x 150	12/120	2.1/21.8
46-432	8 mm	5/16" x 8"	8 x 200	12/120	2.4/24.4
46-433	8 mm	5/16" x 10"	8 x 250	12/96	2.6/21.5
46-434	8 mm	5/16" x 12"	8 x 300	12/96	2.8/23.0


Slotted




Hex Acetate Handle Screwdrivers - Slotted w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-911	5 mm	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-912	5 mm	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-913	6 mm	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-914	6 mm	1/4" x 6"	6 x 150	12/120	1.3/13.0
46-915	8 mm	5/16" x 6"	8 x 150	12/120	2.1/21.8
46-916	8 mm	5/16" x 8"	8 x 200	12/120	2.4/24.4

Slotted



** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of eco-friendly acetate w/fiber.
 ** Ideal for auto, agricultural machinery & equipments etc.




Screwdrivers

Hex Acetate Handle Screwdrivers - Phillips

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-960	PH0	1/8" x 3"	3 x 75	12/600	0.3/16.0
46-961	PH0	1/8" x 4"	3 x 100	12/600	0.4/17.5
46-984	PH0	5/32" x 3"	4 x 75	12/600	0.4/20.0
46-962	PH0	5/32" x 4"	4 x 100	12/600	0.4/20.3
46-963	PH0	5/32" x 6"	4 x 150	12/600	0.5/23.8
46-964	PH0	5/32" x 8"	4 x 200	12/600	0.6/27.4
46-965	PH0	5/32" x 12"	4 x 300	12/240	0.7/14.2
46-966	PH1	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-967	PH1	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-968	PH1	3/16" x 6"	5 x 150	12/300	1.0/24.3
46-969	PH1	3/16" x 8"	5 x 200	12/240	1.1/21.4
46-435	PH1	3/16" x 10"	5 x 250	12/240	1.0/19.3
46-970	PH1	3/16" x 12"	5 x 300	12/240	1.2/24.3
46-971	PH2	1/4" x 1-1/2"	6 x 38 (Stubby)	12/300	0.4/11.0
46-972	PH2	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-973	PH2	1/4" x 6"	6 x 150	12/120	1.3/13.0
46-974	PH2	1/4" x 8"	6 x 200	12/120	1.4/13.6
46-975	PH2	1/4" x 12"	6 x 300	12/120	1.6/15.6
46-436	PH3	5/16" x 6"	8 x 150	12/120	2.1/21.8
46-437	PH3	5/16" x 8"	8 x 200	12/120	2.4/24.4
46-438	PH3	5/16" x 10"	8 x 250	12/96	2.6/21.5
46-439	PH3	5/16" x 12"	8 x 300	12/96	2.8/23.0


Phillips



Hex Acetate Handle Screwdrivers - Phillips w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-921	PH1	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-922	PH1	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-923	PH2	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-924	PH2	1/4" x 6"	6 x 150	12/240	1.3/13.0
46-925	PH3	5/16" x 6"	8 x 150	12/120	2.1/21.8
46-926	PH3	5/16" x 8"	8 x 200	12/120	2.4/24.4

Phillips




- ** Crossman platinum shaft; hardened but high ductility.
- ** Handle is made of eco-friendly acetate w/fiber.
- ** Ideal for auto, agricultural machinery & equipments etc.

Screwdrivers

Line Color Acetate Handle Screwdrivers - Slotted

Item No.	Pt. Size	Size (DxL)		Pcs/Box	Pcs/Case	kgs
		inch	mm			
46-572	3 mm	1/8" x 2"	3 x 50	12/240		0.5/11.1
46-558	3 mm	1/8" x 3"	3 x 75	12/240		0.5/11.1
46-905	3 mm	1/8" x 4"	3 x 100	12/240		0.6/11.5
46-573	4 mm	5/32" x 3"	4 x 75	12/240		0.6/12.0
46-575	4 mm	5/32" x 4"	4 x 100	12/240		0.6/12.5
46-907	4 mm	5/32" x 6"	4 x 150	12/120		0.7/7.2
46-507	4 mm	5/32" x 8"	4 x 200	12/120		0.8/8.0
46-508	4 mm	5/32" x 10"	4 x 250	12/96		0.9/8.0
46-509	4 mm	5/32" x 12"	4 x 300	12/96		1.0/8.5
46-511	5 mm	3/16" x 3"	5 x 75	12/240		1.0/20.1
46-512	5 mm	3/16" x 4"	5 x 100	12/240		1.0/21.0
46-513	5 mm	3/16" x 6"	5 x 150	12/120		1.1/11.8
46-514	5 mm	3/16" x 8"	5 x 200	12/96		1.2/10.5
46-515	5 mm	3/16" x 10"	5 x 250	12/96		1.4/12.0
46-516	5 mm	3/16" x 12"	5 x 300	12/96		1.5/13.0
46-521	6 mm	1/4" x 1-1/2"	6 x 38 (Stubby)	12/240		0.5/10.5
46-522	6 mm	1/4" x 4"	6 x 100	12/120		1.2/12.4
46-523	6 mm	1/4" x 5"	6 x 125	12/120		1.3/13.8
46-524	6 mm	1/4" x 6"	6 x 150	12/120		1.3/13.9
46-525	6 mm	1/4" x 8"	6 x 200	12/96		1.5/12.6
46-526	6 mm	1/4" x 10"	6 x 250	12/96		1.3/13.5
46-527	6 mm	1/4" x 12"	6 x 300	12/96		1.8/14.8
46-528	8 mm	5/16" x 6"	8 x 150	12/120		1.8/18.0
46-529	8 mm	5/16" x 8"	8 x 200	12/96		1.8/19.5
46-530	8 mm	5/16" x 10"	8 x 250	12/96		2.2/22.0
46-531	8 mm	5/16" x 12"	8 x 300	12/96		2.4/24.0
46-574	10 mm	3/8" x 8"	10 x 200	6/60		2.1/21.0
46-576	10 mm	3/8" x 10"	10 x 250	6/60		2.3/23.0
46-577	10 mm	3/8" x 12"	10 x 300	6/60		2.5/25.0


Slotted




Line Color Acetate Handle Screwdrivers - Slotted w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pcs/Box	Pcs/Case	kgs
		inch	mm			
46-630	5 mm	3/16" x 3"	5 x 75	12/300		0.8/20.0
46-631	5 mm	3/16" x 4"	5 x 100	12/300		0.9/22.1
46-632	6 mm	1/4" x 4"	6 x 100	12/240		1.2/23.0
46-633	6 mm	1/4" x 6"	6 x 150	12/240		1.2/24.0
46-634	8 mm	5/16" x 6"	8 x 150	6/120		0.7/13.5
46-635	8 mm	5/16" x 8"	8 x 200	6/120		0.7/14.5
46-636	10 mm	3/8" x 8"	10 x 200	6/60		2.4/24.0
46-637	10 mm	3/8" x 10"	10 x 250	6/48		2.6/20.8

Slotted



** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of eco-friendly acetate w/fiber.
 ** Ideal for auto repairing & mechanical & machinery etc.




Screwdrivers


Line Color Acetate Handle Screwdrivers - Phillips

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-541	PH0	1/8" x 2"	3 x 50	12/240	0.5/11.1
46-542	PH0	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-543	PH0	1/8" x 4"	3 x 100	12/240	0.6/11.5
46-544	PH0	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-545	PH0	5/32" x 4"	4 x 100	12/240	0.6/12.5
46-546	PH0	5/32" x 6"	4 x 150	12/120	0.7/7.2
46-547	PH0	5/32" x 8"	4 x 200	12/120	0.8/8.0
46-548	PH0	5/32" x 10"	4 x 250	12/96	0.9/8.0
46-549	PH0	5/32" x 12"	4 x 300	12/96	1.0/8.5
46-551	PH1	3/16" x 3"	5 x 75	12/240	1.0/20.1
46-552	PH1	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-553	PH1	3/16" x 6"	5 x 150	12/120	1.1/11.8
46-554	PH1	3/16" x 8"	5 x 200	12/96	1.2/10.5
46-555	PH1	3/16" x 10"	5 x 250	12/96	1.4/12.0
46-556	PH1	3/16" x 12"	5 x 300	12/96	1.5/13.0
46-561	PH2	1/4" x 1-1/2"	6 x 38 (Stubby)	12/240	0.5/10.5
46-562	PH2	1/4" x 4"	6 x 100	12/120	1.2/12.4
46-563	PH2	1/4" x 5"	6 x 125	12/120	1.3/13.8
46-564	PH2	1/4" x 6"	6 x 150	12/120	1.3/13.9
46-565	PH2	1/4" x 8"	6 x 200	12/96	1.5/12.6
46-566	PH2	1/4" x 10"	6 x 250	12/96	1.3/13.5
46-567	PH2	1/4" x 12"	6 x 300	12/96	1.8/14.8
46-568	PH3	5/16" x 6"	8 x 150	12/120	1.8/18.0
46-569	PH3	5/16" x 8"	8 x 200	12/96	1.8/19.5
46-570	PH3	5/16" x 10"	8 x 250	12/96	2.2/22.0
46-571	PH3	5/16" x 12"	8 x 300	12/96	2.4/24.0
46-595	PH4	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-596	PH4	3/8" x 10"	10 x 250	6/60	2.3/23.0
46-597	PH4	3/8" x 12"	10 x 300	6/60	2.5/25.0

⊕ Phillips



⊕ Phillips




Line Color Acetate Handle Screwdrivers - Phillips w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-640	PH1	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-641	PH1	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-642	PH2	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-643	PH2	1/4" x 6"	6 x 150	12/240	1.2/24.0
46-644	PH3	5/16" x 6"	8 x 150	6/120	0.7/13.5
46-645	PH3	5/16" x 8"	8 x 200	6/120	0.7/14.5
46-646	PH4	3/8" x 8"	10 x 200	6/60	2.4/24.0
46-647	PH4	3/8" x 10"	10 x 250	6/48	2.6/20.8

** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of eco-friendly acetate w/fiber.
 ** Ideal for auto repairing & mechanical & machinery etc.


Screwdrivers

Line Color Acetate Handle Screwdrivers - TORX®




Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-581	T5	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-582	T6	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-583	T7	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-584	T8	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-585	T9	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-586	T10	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-587	T15	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-588	T20	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-589	T25	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-590	T27	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-591	T30	1/4" x 4"	6 x 100	12/120	1.2/12.4

** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of eco-friendly acetate w/fiber.
 ** Ideal for auto repairing & mechanical & machinery etc.




Screwdrivers



Advanced Cushion Grip/Acetate Handle Screwdrivers - Slotted

Item No.	Pt. Size	Size (DxL)			
		inch	mm		
46-710	3 mm	1/8" x 2"	3 x 50	12/240	0.5/11.1
46-711	3 mm	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-712	3 mm	1/8" x 4"	3 x 100	12/240	0.6/11.5
46-713	4 mm	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-714	4 mm	5/32" x 4"	4 x 100	12/240	0.6/12.5
46-715	4 mm	5/32" x 6"	4 x 150	12/120	0.7/7.2
46-716	4 mm	5/32" x 8"	4 x 200	12/120	0.8/8.0
46-717	4 mm	5/32" x 10"	4 x 250	12/96	0.9/8.0
46-718	4 mm	5/32" x 12"	4 x 300	12/96	1.0/8.5
46-719	5 mm	3/16" x 3"	5 x 75	12/240	1.0/20.1
46-720	5 mm	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-721	5 mm	3/16" x 6"	5 x 150	12/120	1.1/11.8
46-722	5 mm	3/16" x 8"	5 x 200	12/96	1.2/10.5
46-723	5 mm	3/16" x 10"	5 x 250	12/96	1.4/12.0
46-724	5 mm	3/16" x 12"	5 x 300	12/96	1.5/13.0
46-725	6 mm	1/4" x 1-1/2"	6 x 38 (Stubby)	12/240	0.5/10.5
46-726	6 mm	1/4" x 4"	6 x 100	12/120	1.2/12.4
46-727	6 mm	1/4" x 5"	6 x 125	12/120	1.3/13.8
46-728	6 mm	1/4" x 6"	6 x 150	12/120	1.3/13.9
46-729	6 mm	1/4" x 8"	6 x 200	12/96	1.5/12.6
46-730	6 mm	1/4" x 10"	6 x 250	12/96	1.3/13.5
46-731	6 mm	1/4" x 12"	6 x 300	12/96	1.8/14.8
46-732	8 mm	5/16" x 6"	8 x 150	12/120	1.8/18.0
46-733	8 mm	5/16" x 8"	8 x 200	12/96	1.8/19.5
46-734	8 mm	5/16" x 10"	8 x 250	12/96	2.2/22.0
46-735	8 mm	5/16" x 12"	8 x 300	12/96	2.4/24.0
46-736	10 mm	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-737	10 mm	3/8" x 10"	10 x 250	6/60	2.3/23.0
46-738	10 mm	3/8" x 12"	10 x 300	6/60	2.5/25.0


 Slotted



Advanced Cushion Grip/Acetate Handle Screwdriver - Slotted w/Hex Bolster

Item No.	Pt. Size	Size (DxL)			
		inch	mm		
46-740	5 mm	3/16" x 3"	5 x 75	12/240	1.0/20.1
46-741	5 mm	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-742	6 mm	1/4" x 4"	6 x 100	12/120	1.2/12.4
46-743	6 mm	1/4" x 6"	6 x 150	12/120	1.3/14.0
46-744	8 mm	5/16" x 6"	8 x 150	12/120	1.8/18.0
46-745	8 mm	5/16" x 8"	8 x 200	12/96	1.8/19.5
46-746	10 mm	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-747	10 mm	3/8" x 10"	10 x 250	6/60	2.3/23.0

 Slotted




** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of cushion-grip material for more powerful drive.
 ** Ideal for construction or furnishing work etc.

Screwdrivers

Advanced Cushion Grip/Acetate Handle Screwdrivers - Phillips

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-750	PH0	1/8" x 2"	3 x 50	12/240	0.5/11.1
46-751	PH0	1/8" x 3"	3 x 75	12/240	0.5/11.1
46-752	PH0	1/8" x 4"	3 x 100	12/240	0.6/11.5
46-753	PH0	5/32" x 3"	4 x 75	12/240	0.6/12.0
46-754	PH0	5/32" x 4"	4 x 100	12/240	0.6/12.5
46-755	PH0	5/32" x 6"	4 x 150	12/120	0.7/7.2
46-756	PH0	5/32" x 8"	4 x 200	12/120	0.8/8.0
46-757	PH0	5/32" x 10"	4 x 250	12/96	0.9/8.0
46-758	PH0	5/32" x 12"	4 x 300	12/96	1.0/8.5
46-759	PH1	3/16" x 3"	5 x 75	12/240	1.0/20.1
46-760	PH1	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-761	PH1	3/16" x 6"	5 x 150	12/120	1.1/11.8
46-762	PH1	3/16" x 8"	5 x 200	12/96	1.2/10.5
46-763	PH1	3/16" x 10"	5 x 250	12/96	1.4/12.0
46-764	PH1	3/16" x 12"	5 x 300	12/96	1.5/13.0
46-765	PH2	1/4" x 1-1/2"	6 x 38 (Stubby)	12/240	0.5/10.5
46-766	PH2	1/4" x 4"	6 x 100	12/120	1.2/12.4
46-767	PH2	1/4" x 5"	6 x 125	12/120	1.3/13.8
46-768	PH2	1/4" x 6"	6 x 150	12/120	1.3/13.9
46-769	PH2	1/4" x 8"	6 x 200	12/96	1.5/12.6
46-770	PH2	1/4" x 10"	6 x 250	12/96	1.3/13.5
46-771	PH2	1/4" x 12"	6 x 300	12/96	1.8/14.8
46-772	PH3	5/16" x 6"	8 x 150	12/120	1.8/18.0
46-773	PH3	5/16" x 8"	8 x 200	12/96	1.8/19.5
46-774	PH3	5/16" x 10"	8 x 250	12/96	2.2/22.0
46-775	PH3	5/16" x 12"	8 x 300	12/96	2.4/24.0
46-776	PH4	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-777	PH4	3/8" x 10"	10 x 250	6/60	2.3/23.0
46-778	PH4	3/8" x 12"	10 x 300	6/60	2.5/25.0


Phillips




Advanced Cushion Grip/Acetate Handle Screwdriver - Phillips w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-780	PH1	3/16" x 3"	5 x 75	12/240	1.0/20.1
46-781	PH1	3/16" x 4"	5 x 100	12/240	1.0/21.0
46-782	PH2	1/4" x 4"	6 x 100	12/120	1.2/12.4
46-783	PH2	1/4" x 6"	6 x 150	12/120	1.3/14.0
46-784	PH3	5/16" x 6"	8 x 150	12/120	1.8/18.0
46-785	PH3	5/16" x 8"	8 x 200	12/96	1.8/19.5
46-786	PH4	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-787	PH4	3/8" x 10"	10 x 250	6/60	2.3/23.0

Phillips




** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of cushion-grip material for more powerful drive.
 ** Ideal for construction or furnishing work etc.



Screwdrivers


Sheffield Acetate Handle Screwdrivers - Slotted

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-303	3 mm	1/8" x 3"	3 x 75	12/600	0.3/16.0
46-304	3 mm	1/8" x 4"	3 x 100	12/600	0.4/18.0
46-410	4 mm	5/32" x 3"	4 x 75	12/600	0.4/20.0
46-305	4 mm	5/32" x 4"	4 x 100	12/600	0.4/20.3
46-306	4 mm	5/32" x 6"	4 x 150	12/600	0.5/23.8
46-307	4 mm	5/32" x 8"	4 x 200	12/600	0.6/27.4
46-308	4 mm	5/32" x 12"	4 x 300	12/240	0.7/14.2
46-411	5 mm	3/16" x 3"	5 x 75	12/300	0.8/21.5
46-310	5 mm	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-311	5 mm	3/16" x 6"	5 x 150	12/300	1.0/24.3
46-312	5 mm	3/16" x 8"	5 x 200	12/300	1.1/26.8
46-326	5 mm	3/16" x 10"	5 x 250	12/240	1.0/20.3
46-313	5 mm	3/16" x 12"	5 x 300	12/240	1.0/20.3
46-412	6 mm	1/4" x 4"	6 x 100	12/120	1.3/13.2
46-413	6 mm	1/4" x 6"	6 x 150	12/120	1.3/13.4
46-317	6 mm	1/4" x 8"	6 x 200	12/120	1.4/13.6
46-327	6 mm	1/4" x 10"	6 x 250	12/120	1.4/15.0
46-318	6 mm	1/4" x 12"	6 x 300	12/120	1.6/15.6
46-414	8 mm	5/16" x 6"	8 x 150	6/60	1.6/16.0
46-415	8 mm	5/16" x 8"	8 x 200	6/60	1.8/18.0
46-416	8 mm	5/16" x 10"	8 x 250	6/60	2.0/20.0
46-321	8 mm	5/16" x 12"	8 x 300	6/60	2.1/21.0
46-417	10 mm	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-418	10 mm	3/8" x 10"	10 x 250	6/60	2.3/23.0
46-323	10 mm	3/8" x 12"	10 x 300	6/60	2.5/25.0



Sheffield Acetate Handle Screwdrivers - Slotted w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-309	5 mm	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-419	5 mm	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-315	6 mm	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-316	6 mm	1/4" x 6"	6 x 150	12/240	1.2/24.0
46-319	8 mm	5/16" x 6"	8 x 150	6/120	0.7/13.5
46-320	8 mm	5/16" x 8"	8 x 200	6/120	0.7/14.5
46-322	10 mm	3/8" x 8"	10 x 200	6/60	2.4/24.0
46-328	10 mm	3/8" x 10"	10 x 250	6/48	2.6/20.8




** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of eco-friendly acetate w/fiber.
 ** Ideal for mechanical machine, mining or engineering sites etc.

Screwdrivers


Sheffield Acetate Handle Screwdrivers - Phillips

Item No.		Size (DxL)		Pkg	kgs
		inch	mm		
46-333	PH0	1/8" x 3"	3 x 75	12/600	0.3/16.0
46-334	PH0	1/8" x 4"	3 x 100	12/600	0.4/18.0
46-420	PH0	5/32" x 3"	4 x 75	12/600	0.4/20.0
46-335	PH0	5/32" x 4"	4 x 100	12/600	0.4/20.3
46-336	PH0	5/32" x 6"	4 x 150	12/600	0.5/23.8
46-337	PH0	5/32" x 8"	4 x 200	12/600	0.6/27.4
46-338	PH0	5/32" x 12"	4 x 300	12/240	0.7/14.2
46-421	PH1	3/16" x 3"	5 x 75	12/300	0.8/21.5
46-340	PH1	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-341	PH1	3/16" x 6"	5 x 150	12/300	1.0/24.3
46-342	PH1	3/16" x 8"	5 x 200	12/300	1.1/26.8
46-356	PH1	3/16" x 10"	5 x 250	12/240	1.0/20.3
46-343	PH1	3/16" x 12"	5 x 300	12/240	1.0/20.3
46-422	PH2	1/4" x 4"	6 x 100	12/120	1.3/13.2
46-423	PH2	1/4" x 6"	6 x 150	12/120	1.3/13.4
46-347	PH2	1/4" x 8"	6 x 200	12/120	1.4/13.6
46-357	PH2	1/4" x 10"	6 x 250	12/120	1.4/15.0
46-348	PH2	1/4" x 12"	6 x 300	12/120	1.6/15.6
46-424	PH3	5/16" x 6"	8 x 150	6/60	1.6/16.0
46-425	PH3	5/16" x 8"	8 x 200	6/60	1.8/18.0
46-426	PH3	5/16" x 10"	8 x 250	6/60	2.0/20.0
46-351	PH3	5/16" x 12"	8 x 300	6/60	2.1/21.0
46-427	PH4	3/8" x 8"	10 x 200	6/60	2.1/21.0
46-428	PH4	3/8" x 10"	10 x 250	6/60	2.3/23.0
46-353	PH4	3/8" x 12"	10 x 300	6/60	2.5/25.0




Sheffield Acetate Handle Screwdrivers - Phillips w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-339	PH1	3/16" x 3"	5 x 75	12/300	0.8/20.0
46-429	PH1	3/16" x 4"	5 x 100	12/300	0.9/22.1
46-345	PH2	1/4" x 4"	6 x 100	12/240	1.2/23.0
46-346	PH2	1/4" x 6"	6 x 150	12/240	1.2/24.0
46-349	PH3	5/16" x 6"	8 x 150	6/120	0.7/13.5
46-350	PH3	5/16" x 8"	8 x 200	6/120	0.7/14.5
46-352	PH4	3/8" x 8"	10 x 200	6/60	2.4/24.0
46-358	PH4	3/8" x 10"	10 x 250	6/48	2.6/20.8






- ** Crossman platinum shaft; hardened but high ductility.
- ** Handle is made of eco-friendly acetate w/fiber.
- ** Ideal for mechanical machine, mining or engineering work etc.




Screwdrivers



■ Cushion Grip Tri-Handle Screwdrivers - Slotted


Item No.	Pt. Size	Size (DxL)			
		inch	mm		
46-051	3mm	1/8" x 3"	3 x 75	12/240	0.4/7.8
46-052	3mm	1/8" x 4"	3 x 100	12/240	0.4/8.4
46-053	3mm	1/8" x 6"	3 x 150	12/240	0.4/8.4
46-054	3mm	1/8" x 8"	3 x 200	12/120	0.4/4.5
46-055	3mm	1/8" x 10"	3 x 250	12/96	0.4/4.0
46-003	4mm	5/32" x 4"	4 x 100	12/96	0.4/4.0
46-004	4mm	5/32" x 6"	4 x 150	12/120	0.4/5.0
46-005	4mm	5/32" x 8"	4 x 200	12/120	0.5/5.0
46-838	4mm	5/32" x 12"	4 x 300	12/72	1.2/8.0
46-061	5mm	3/16" x 3"	5 x 75	12/120	1.0/10.5
46-062	5mm	3/16" x 4"	5 x 100	12/96	1.0/8.0
46-063	5mm	3/16" x 6"	5 x 150	12/96	1.0/8.0
46-064	5mm	3/16" x 8"	5 x 200	12/72	1.0/6.5
46-065	5mm	3/16" x 10"	5 x 250	12/72	1.0/7.0
46-066	5mm	3/16" x 12"	5 x 300	12/72	1.3/8.5
46-844	6mm	1/4" x 1-1/2"	6 x 38 (Stubby)	12/96	1.1/9.0
46-009	6mm	1/4" x 4"	6 x 100	12/96	1.4/11.5
46-010	6mm	1/4" x 6"	6 x 150	12/96	1.5/12.0
46-117	6mm	1/4" x 8"	6 x 200	12/72	1.6/10.5
46-848	6mm	1/4" x 12"	6 x 300	12/72	2.1/13.0
46-028	8mm	5/16" x 6"	8 x 150	12/72	2.2/13.5
46-013	8mm	5/16" x 8"	8 x 200	12/72	2.3/14.5
46-119	8mm	5/16" x 10"	8 x 250	12/72	2.6/15.6
46-141	10mm	3/8" x 8"	10 x 200	12/72	2.8/16.8
46-142	10mm	3/8" x 10"	10 x 250	12/72	2.9/17.2
46-143	10mm	3/8" x 12"	10 x 300	12/72	2.9/17.2


 Slotted




■ Cushion Grip Tri-Handle Screwdrivers - Slotted w/Hex Bolster

Item No.	Pt. Size	Size (DxL)			
		inch	mm		
46-101	5mm	3/16" x 3"	5 x 75	12/120	1.0/10.5
46-102	5mm	3/16" x 4"	5 x 100	12/96	0.9/10.5
46-105	6mm	1/4" x 4"	6 x 100	12/96	1.4/12.0
46-106	6mm	1/4" x 6"	6 x 150	12/72	1.5/9.5
46-110	8mm	5/16" x 6"	8 x 150	12/72	1.1/7.5
46-111	8mm	5/16" x 8"	8 x 200	12/72	1.2/7.5
46-120	10mm	3/8" x 8"	10 x 200	12/72	1.2/7.5

 Slotted



- ** Crossman platinum shaft; hardened but high ductility.
- ** Handle is made of cushion-grip material for more powerful drive.
- ** Ideal for construction or furnishing work etc.




Screwdrivers

Cushion Grip Tri-Handle Screwdrivers - Phillips

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-215	PH0	1/8" x 3"	3 x 75	12/240	0.4/7.8
46-216	PH0	1/8" x 4"	3 x 100	12/240	0.4/8.4
46-217	PH0	1/8" x 6"	3 x 150	12/240	0.4/8.4
46-219	PH0	1/8" x 10"	3 x 250	12/96	0.4/4.0
46-017	PH0	5/32" x 4"	4 x 100	12/96	0.4/4.0
46-018	PH0	5/32" x 6"	4 x 150	12/120	0.4/5.0
46-019	PH0	5/32" x 8"	4 x 200	12/120	0.5/5.0
46-868	PH0	5/32" x 12"	4 x 300	12/72	1.2/8.0
46-020	PH1	3/16" x 4"	5 x 100	12/96	0.9/8.0
46-233	PH1	3/16" x 5"	5 x 125	12/96	0.9/8.0
46-234	PH1	3/16" x 6"	5 x 150	12/96	0.9/8.0
46-235	PH1	3/16" x 8"	5 x 200	12/72	1.0/6.5
46-236	PH1	3/16" x 10"	5 x 250	12/72	1.0/7.0
46-873	PH1	3/16" x 12"	5 x 300	12/72	1.3/8.5
46-661	PH2	1/4" x 1-1/2"	6 x 38 (Stubby)	12/96	1.1/9.0
46-021	PH2	1/4" x 4"	6 x 100	12/96	1.4/11.5
46-246	PH2	1/4" x 5"	6 x 125	12/120	1.4/12.0
46-024	PH2	1/4" x 6"	6 x 150	12/96	1.5/12.0
46-025	PH2	1/4" x 8"	6 x 200	12/72	1.6/10.5
46-248	PH2	1/4" x 10"	6 x 250	12/72	2.1/13.0
46-026	PH3	5/16" x 6"	8 x 150	12/72	2.2/13.5
46-027	PH3	5/16" x 8"	8 x 200	12/72	2.3/14.5
46-881	PH3	5/16" x 10"	8 x 300	12/72	2.4/15.4
46-883	PH3	5/16" x 12"	10 x 300	12/72	2.9/17.2


⊕ Phillips






Cushion Grip Tri-Handle Screwdrivers - Phillips w/Hex Bolster

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-121	PH1	3/16" x 3"	5 x 75	12/120	1.0/11.0
46-122	PH1	3/16" x 4"	5 x 100	12/96	1.0/8.5
46-125	PH2	1/4" x 4"	6 x 100	12/96	1.4/12.0
46-126	PH2	1/4" x 6"	6 x 150	12/72	1.5/9.5
46-130	PH3	5/16" x 6"	8 x 150	12/72	2.2/14.2
46-131	PH3	5/16" x 8"	8 x 200	12/72	2.3/14.6
46-882	PH4	3/8" x 8"	10 x 200	12/72	2.8/16.8

⊕ Phillips



** Crossman platinum shaft; hardened but high ductility.
 ** Handle is made of cushion-grip material for more powerful drive.
 ** Ideal for construction or furnishing work etc.



Screwdrivers

Cushion Grip Tri-Handle Screwdrivers - TORX®

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-686	T10	3/16" x 4"	5 x 100	12/96	0.4/3.5
46-687	T15	3/16" x 4"	5 x 100	12/96	0.4/3.5
46-688	T20	3/16" x 4"	5 x 100	12/96	0.4/3.5
46-689	T25	1/4" x 4"	6 x 100	12/96	1.2/10.5
46-690	T30	1/4" x 4"	6 x 100	12/96	1.2/10.5


Cushion Grip Tri-Handle Screwdrivers - TORX® Tamper Proof

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-360	T6	5/32" x 3"	4 x 75	12/240	0.3/7.5
46-361	T7	5/32" x 3"	4 x 75	12/240	0.3/7.5
46-362	T8	5/32" x 3"	4 x 75	12/120	0.4/4.0
46-363	T9	5/32" x 3"	4 x 75	12/120	0.4/4.0
46-364	T10	3/16" x 4"	5 x 100	12/96	0.9/8.0
46-365	T15	3/16" x 4"	5 x 100	12/96	0.9/8.0
46-366	T20	3/16" x 4"	5 x 100	12/96	0.9/8.0
46-367	T25	1/4" x 4"	6 x 100	12/96	1.2/10.0
46-368	T27	1/4" x 4"	6 x 100	12/96	1.2/10.0
46-369	T30	1/4" x 4"	6 x 100	12/96	1.2/10.0
46-370	T40	1/4" x 4"	6 x 100	12/96	1.3/10.5

Cushion Grip Tri-Handle Screwdrivers - Hex

Item No.	Pt. Size	Size (DxL)		Pkg	kgs
		inch	mm		
46-891	H2	5/64" x 3"	2.0 x 75	12/120	0.3/4.0
46-892	H2.5	3/32" x 3"	2.5 x 75	12/120	0.3/4.0
46-893	H3	1/8" x 4"	3.0 x 100	12/120	0.4/4.2
46-894	H4	5/32" x 4"	4.0 x 100	12/96	1.0/8.2
46-895	H5	3/16" x 4"	5.0 x 100	12/96	1.0/9.0
46-896	H6	1/4" x 5"	6.0 x 125	12/96	1.1/9.0

- ** Crossman platinum shaft; hardened but high ductility.
- ** Handle is made of cushion-grip material for more powerful drive.
- ** Ideal for construction or furnishing work etc.



Screwdrivers

Electronic Slotted Screwdrivers

Item No.	Size		kgs
46-608	1.0mm x 50mm	12/240	0.25/5
46-609	1.2mm x 50mm	12/240	0.25/5
46-610	1.5mm x 50mm	12/240	0.25/5
46-611	2.0mm x 50mm	12/240	0.25/5
46-612	2.5mm x 50mm	12/240	0.25/5
46-613	3.0mm x 50mm	12/240	0.25/5
46-614	4.0mm x 50mm	12/240	0.25/5

Slotted



Electronic Phillips Screwdriver

Item No.	Size		kgs
46-615	1.5mm #000 x 50mm	12/240	0.25/5
46-616	2mm #00 x 50mm	12/240	0.25/5
46-617	2.5mm #0 x 50mm	12/240	0.25/5
46-618	4mm #1 x 50mm	12/240	0.25/5

Phillips



LR Precision Screwdriver-Ideal for Cell Phone Repairing

Item No.	Size		kgs
46-621	2.5mm x 50mm	12/240	0.25/5

LR Precision



TRI-WING[®] Screwdriver

Item No.	Size		kgs
46-622	3.0mm x 50mm	12/240	0.25/5
46-401	3.5mm x 50mm	12/240	0.25/5

TRI-WING[®]



Triangle Screwdriver

Item No.	Size		kgs
46-402	2.5mm x 50mm	12/240	0.25/5

Triangle



Spanner Screwdriver

Item No.	Size		kgs
46-600	5mm x 100mm	12/96	1.1/9.6

Spanner



Magnetic Bit Holder

Item No.	Size		kgs
46-604	4"	12/120	1.2/13.0



Magnetizer

Item No.		kgs
44-100	25/100	1.2/4.7



Screwdrivers

⊕ Phillips

⊖ Slotted



■ 2-Way Screwdriver Set


Item No.	Size		 kgs
46-500	6mm x 38mm	5/100	0.8/16
46-501	6mm x 100mm	5/50	0.7/7
46-502	6mm x 150mm	5/50	0.75/7.5
46-503	6mm x 200mm	5/50	0.8/8
46-504	4mm x 100mm	5/50	0.65/6.5
46-505	4mm x 150mm	5/50	0.7/7
46-506	4mm x 200mm	5/50	0.75/7.5

■ 2-Way Stubby Screwdriver Set




Item No.	Size		 kgs
46-100	⊕ No.2 x ⊖ 6mm 6.35mm x 36mm L (1.4" L)	12/120	1.0/20.0



■ 2-Way Screwdriver Set



Item No.	Size		 kgs
46-200	⊕ No.2 x ⊖ 6mm 6.35mm x 100mm L (4" L)	12/120	1.6/17.0
46-300	⊕ No.2 x ⊖ 6mm 6.35mm x 150mm L (6" L)	12/120	1.8/18.0
46-400	⊕ No.2 x ⊖ 6mm 6.35mm x 200mm L (8" L)	12/120	1.8/19.0

■ Line Color Acetate Handle Screwdriver Set - 6 Pcs.



Item No.		 kgs
46-903	6/24	1.5/6.5

⊖ Slotted:

3mm x 75mm L, 4mm x 100mm L, 6mm x 100mm L, 8mm x 150mm L.

⊕ Phillips:

5mm x 75mm L, 6mm x 100mm L.

Screwdrivers



■ Cushion Grip Tri-Handle Screwdriver Set w/Hex Bolster - 4 Pcs.

Item No.	 	 kgs
46-904	6/24	2.7/11.0

- ⊖ Slotted:
5mm x 75mm L, 6mm x 150mm L.
- ⊕ Phillips:
5mm x 75mm L, 6mm x 100mm L.



■ Cushion Grip Tri-Handle Screwdriver Set w/Hex Bolster - 6 Pcs.

Item No.	 	 kgs
46-906	6/24	1.1/27.5

- ⊖ Slotted:
5mm x 75mm L, 5mm x 125mm L, 6mm x 100mm L, 6mm x 150mm L.
- ⊕ Phillips:
5mm x 75mm L, 6mm x 100mm L.



■ Cushion Grip Tri-Handle Screwdriver Set w/Hex Bolster - 8 Pcs.

Item No.	 	 kgs
46-901	1/6	1.3/8.5


- ⊖ Slotted:
6mm x 100mm L, 6mm x 150mm L, 8mm x 150mm L, 8mm x 200mm L.
- ⊕ Phillips:
6mm x 100mm L, 6mm x 150mm L, 8mm x 150mm L, 8mm x 200mm L.



■ Cushion Grip Tri-Handle Screwdriver Set - 8 Pcs.

Item No.	 	 kgs
46-900	1/6	1.2/8.0

- ⊖ Slotted:
3mm x 75mm L, 5mm x 100mm L, 6mm x 150mm L, 8mm x 150mm L.
- ⊕ Phillips:
3mm x 75mm L, 5mm x 100mm L, 6mm x 150mm L, 8mm x 150mm L.



Screwdrivers



Electronic Screwdriver Set - 6 Pcs.

Item No.		 kgs
46-933	6/48	1.03/8.2

- ⊕ Phillips: #00, #0
- ⊖ Slotted: 1.5mm, 3mm, 2mm, 2.5mm



Electronic TORX[®] Tamper Proof Screwdriver Set - 6 Pcs.

Item No.		 kgs
46-934	6/48	1.03/8.2

- ⊕ TORX[®] Tamper Proof : T5, T6, T7, T8, T9, T10



Electronic Hex Screwdriver Set - 6 Pcs.

Item No.		 kgs
46-935	6/48	1.03/8.2

- Hex: 0.9mm, 1.3mm, 1.5mm, 2mm, 2.5mm, 3mm



14 in 1 Electronic Screwdriver Set - 7 Pcs.

Item No.		 kgs
46-936	6/24	2.25/9

- ⊕ Phillips: #000, #00, #0, #1
- ⊖ Slotted: 1.5mm, 2mm, 2.5mm, 3mm
- ⊕ TORX[®] : T5
- ⊕ TORX[®] Tamper Proof: T6, T7, T8, T10, T15






Fastener Drive Tool Sets

Professional Impact Driver Set With Bits - 5 Pcs.

Item No.		kgs
48-105	1/20	1.0/20.0

- 1 Pc. Impact Driver Handle.
- 4 Pcs. Impact Drive Bits: 8mm (5/16") Hex x 36mm L
 - ⊕ Phillips: PH2, PH3.
 - ⊖ Slotted: 8, 10mm.

▲ Blow Mold Box



Impact Driver Set With Bits - 5 Pcs.

Item No.		kgs
48-005	1/20	0.9/19.0

- 1 Pc. Impact Driver Handle.
- 4 Pcs. Impact Drive Bits: 8mm (5/16") Hex x 36mm L
 - ⊕ Phillips: PH2, PH3.
 - ⊖ Slotted: 8, 10mm.

▲ Blow Mold Box



Impact Driver Set With Bits - 14 Pcs.

Item No.		kgs
48-014	1/20	1.3/24.8

- 1 Pc. Impact Driver Handle.
- 12 Pcs. Impact Drive Bits: 8mm (5/16") Hex x 36mm L
 - ⊕ Phillips: PH1, PH2, PH3, PH4.
 - Hex: 4, 5, 6, 8mm.
 - ⊖ Slotted: 6, 8, 10, 12mm.
- 1 Pc. ○ 3/8" Dr. Ball-Lock Socket Adapter: 3/8" Hex x 30mm L.


▲ Blow Mold Box




14 in 1 Flexible (Pistol) Ratchet Screwdriver Set

Item No.		kgs
46-606	6/48	1.8/15.4

- 1 Pc. Flexiable Ratchet Screwdriver.
 - ** Magnetic bit holder.
- 1 Pc. Knurled Shank Magnetic Bit Holder: 1/4" Hex x 63mm L.
- 7 Pcs. Insert Bits: 6.35mm (1/4") Hex x 25mm L
 - ⊕ Phillips: PH2.
 - ⊕ Phillips: PH2. **DIAMOND TIP[®]**
 - ⊖ Slotted: 6mm.
 - Hex: 3, 4, 5, 6mm.






Fastener Drive Tool Sets

9 in 1 Ratchet Screwdriver Set



Item No.	6/48	kgs 1.4/12.2
46-601		

- 1 Pc. Ratchet Screwdriver handle.
 - ** 2" in depth of bit storage housing.
 - ** Magnetic bit holder.
- 9 Pcs. Insert Bits: 6.35mm (1/4") Hex x 25mm L
 - ⊕ Phillips: PH0, PH1, PH2, PH3.
 - ◆ ⊕ Phillips: PH2. **DIAMOND TIP®**
 - ⊖ Slotted: 3, 4, 5, 6mm.





13 in 1 Extendable Ratchet Screwdriver Set



Item No.	6/48	kgs 1.6/13.8
46-605		

- 1 Pc. Extendable Ratchet Screwdriver (70~140mm).
 - ** 2" in depth of bit storage housing.
 - ** Magnetic bit holder.
- 13 Pcs. Insert Bits: 6.35mm (1/4") Hex x 25mm L
 - ⊕ Phillips: PH0, PH1, PH2, PH3.
 - ◆ ⊕ Phillips: PH2. **DIAMOND TIP®**
 - ⊖ Slotted: 3, 4, 5, 6mm.
 - ⊛ POZIDRIV®: PZ0, PZ1, PZ2, PZ3.



19 in 1 Functions Ratchet Screwdriver Set



Item No.	Size	6/54	kgs 2.8/25
46-700	5mm x 100mm		

- 1 Pc. Ratchet Screwdriver.
- 7 Pcs. 1/4" (6.35mm) x 75mm Bits

Size: ⊖ 5mm	⊕ PH1	⊛ PZ1	⊛ PZ2
⊖ 6mm	⊕ PH2	○ 2.5mm	○ 3mm
⊛ T15	⊛ T20	○ 4mm	○ 5mm
⊛ T25	⊛ T30		
- 1 Pc. 5/16" (8mm) x 75mm Bits

Size: ⊖ 8mm	⊕ PH3
-------------	-------

